

PROPOSED TO BE OUTSOURCED TO TPI AGENCIES

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------------------------|---------------------------------------------------|--------------|
| 1 | 3426000061 | ANODE COPPER ROLLED 300X200X6mm | IS:2603 (Heavy copper plating in Sulphate bath) | CQA (Metals) |
| 2 | 3426000062 | ANODE CADMIUM BALLS | IS:2602 | CQA (Metals) |
| 3 | 3426000064 | ANODE NICKEL : CAST OR ROLLED 457.2X 203.2X 6.35mm | IS:1958 | CQA (Metals) |
| 4 | 3426000067 | ANODE COPPER ROLLED 300X200X6mm | IS:2603 (Heavy copper plating in Sulphate bath) | CQA (Metals) |
| 5 | 3439000001 | ELECTRODE WELDING, BRONZE 3.15mm | IS:8666, Classification: ECuAl-A2 | CQA (Metals) |
| 6 | 3439000002 | ELECTRODE WELDING, BRONZE 4.00mm | IS:8666, Classification: ECuAl-A2 | CQA (Metals) |
| 7 | 3439000007 | ELECTRODE WELDING, STEEL ARMOUR 3.15mm | CQA(M)-57:2013 | CQA (Metals) |
| 8 | 3439000008 | ELECTRODE WELDING, STEEL ARMOUR 4.00mm | CQA(M)-57:2013 | CQA (Metals) |
| 9 | 3439000009 | ELECTRODE WELDING, STEEL ARMOUR 5.00mm | CQA(M)-57:2013 | CQA (Metals) |
| 10 | 3439000011 | ELECTRODE WELDING, STEEL HARD SURFACING WEAR RESISTING 2.50mm | IS:7303, Classification: E Fe-1C | CQA (Metals) |
| 11 | 3439000012 | ELECTRODE WELDING, STEEL HARD SURFACING WEAR RESISTING 3.15mm | IS:7303, Classification: E Fe-1C | CQA (Metals) |
| 12 | 3439000013 | ELECTRODE WELDING, STEEL HARD SURFACING WEAR RESISTING 4.00mm | IS:7303, Classification: E Fe-1C | CQA (Metals) |
| 13 | 3439000014 | ELECTRODE WELDING, STEEL HARD SURFACING WEAR RESISTING 6.30mm | IS:7303, Classification: E Fe-1C | CQA (Metals) |
| 14 | 3439000015 | ELECTRODE WELDING STEEL MILD GENERAL PURPOSES 2.00 mm | IS:814-1991, Classification: EX4X1X or EX4X2X | CQA (Metals) |
| 15 | 3439000016 | ELECTRODE WELDING, STEEL MILD GENERAL PURPOSE 2.50 mm | IS:814-1991, Classification: EX4X1X or EX4X2X | CQA (Metals) |
| 16 | 3439000017 | ELECTRODE WELDING, STEEL MILD GENERAL PURPOSE 3.15 mm | IS:814-1991, Classification: EX4X1X or EX4X2X | CQA (Metals) |
| 17 | 3439000018 | ELECTRODE WELDING, STEEL MILD GENERAL PURPOSE 4.00 mm | IS:814-1991, Classification: EX4X1X or EX4X2X | CQA (Metals) |
| 18 | 3439000019 | ELECTRODE WELDING STEEL HIGH TENSILE 2.00 mm | IS:814-1991, Classification: EB5324H2 or EB5426H2 | CQA (Metals) |
| 19 | 3439000020 | ELECTRODE WELDING, STEEL HIGH TENSILE 2.50 mm | IS:814-1991, Classification: EB5324H2 or EB5426H2 | CQA (Metals) |
| 20 | 3439000021 | ELECTRODE WELDING, STEEL HIGH TENSILE 3.15mm | IS:814-1991, Classification: EB5324H2 or EB5426H2 | CQA (Metals) |
| 21 | 3439000022 | ELECTRODE WELDING, STEEL HIGH TENSILE 4.00mm | IS:814-1991, Classification: EB5324H2 or EB5426H2 | CQA (Metals) |
| 22 | 3439000023 | ELECTRODE WELDING, STEEL HIGH TENSILE 5.00mm | IS:814-1991, Classification: EB5324H2 or EB5426H2 | CQA (Metals) |
| 23 | 3439000024 | ELECTRODE WELDING, TOOL TIPPING 2.50mm | IS:7303, Classification: E Fe-2C | CQA (Metals) |
| 24 | 3439000025 | ELECTRODE WELDING, TOOL TIPPING 3.15mm | IS:7303, Classification: E Fe-2C | CQA (Metals) |
| 25 | 3439000026 | ELECTRODE WELDING, TOOL TIPPING 4.00mm | IS:7303, Classification: E Fe-2C | CQA (Metals) |
| 26 | 3439000027 | SOLDER BRAZING ALLOY, COPPER-ZINC WIRE 5.00mm | IS:2927, Classification: BA CuZn7 | CQA (Metals) |
| 27 | 3439000028 | SOLDER WIRE ROSIN CORED ACTIVATED 2.50mm | IS:1921, Grade 60 Activated | CQA (Metals) |
| 28 | 3439000070 | ELECTRODE CUTTING SOLID 3.15mm | Proprietary Article | CQA (Metals) |
| 29 | 3439000071 | ELECTRODE CUTTING SOLID 4.00mm | Proprietary Article | CQA (Metals) |
| 30 | 3439000083 | ELECTRODE WELDING, STEEL ARMOUR 6.00 mm | CQA(M)- 57:2013 | CQA (Metals) |
| 31 | 3439000084 | ELECTRODE WELDING, STEEL ARMOUR 8.00 mm | CQA(M)- 57:2013 | CQA (Metals) |
| 32 | 3439000085 | ELECTRODE WELDING ALUMINIUM 3.15mm | Proprietary Article | CQA (Metals) |
| 33 | 3439000086 | ELECTRODE WELDING, ALUMINIUM 4.00mm | Proprietary Article | CQA (Metals) |
| 34 | 3439000087 | ROD WELDING IRON CAST SUPER SILICON 3.15mm | IS:1278, Type SC1-1 | CQA (Metals) |
| 35 | 3439000088 | ROD WELDING IRON CAST,SUPER SILICON 6.30mm | IS:1278, Type SC1-1 | CQA (Metals) |
| 36 | 3439000089 | ROD WELDING STEEL HARD SURFACING 3.15mm | IS:1278, Type S-FS5 | CQA (Metals) |
| 37 | 3439000090 | ROD WELDING STEEL HARD SURFACING 5.00mm | IS:1278, Type S-FS5 | CQA (Metals) |
| 38 | 3439000091 | ROD WELDING STEEL MILD 1.60mm | IS:1278, Type S-FS1 | CQA (Metals) |

| SI No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|--------------|
| 39 | 3439000092 | ROD WELDING STEEL MILD 3.15mm | IS:1278, Type S-FS1 | CQA (Metals) |
| 40 | 3439000093 | ROD WELDING STEEL MILD 5.00mm | IS:1278, Type S-FS1 | CQA (Metals) |
| 41 | 3439000094 | ROD WELDING STEEL MILD 6.30mm | IS:1278, Type S-FS1 | CQA (Metals) |
| 42 | 3439000095 | ROD WELDING COPPER 3.15mm | IS:1278, Type S-C1 | CQA (Metals) |
| 43 | 3439000096 | ROD WELDING COPPER 4.00mm | IS:1278, Type S-C1 | CQA (Metals) |
| 44 | 3439000097 | ROD WELDING COPPER 5.00mm | IS:1278, Type S-C1 | CQA (Metals) |
| 45 | 3439000098 | ROD WELDING NICKEL BRONZE 3.15mm | IS:1278, Type S-C9 | CQA (Metals) |
| 46 | 3439000099 | ROD WELDING NICKEL BRONZE 5.00mm | IS:1278, Type S-C9 | CQA (Metals) |
| 47 | 3439000100 | ROD WELDING NICKEL BRONZE 6.30mm | IS:1278, Type S-C9 | CQA (Metals) |
| 48 | 3439000101 | ROD WELDING SILICON BRONZE 1.60mm | IS:1278, Type S-C6 | CQA (Metals) |
| 49 | 3439000102 | ROD WELDING SILICON BRONZE 3.15mm | IS:1278, Type S-C6 | CQA (Metals) |
| 50 | 3439000103 | ROD WELDING SILICON BRONZE 5.00mm | IS:1278, Type S-C6 | CQA (Metals) |
| 51 | 3439000104 | ROD WELDING SILICON BRONZE 6.30mm | IS:1278, TYPE S-C6 | CQA (Metals) |
| 52 | 3439000105 | ROD WELDING HARD FACING 3.15mm | IS:7303, Grade- E CoCr-A | CQA (Metals) |
| 53 | 3439000106 | ROD WELDING HARD FACING 5.00mm | IS:7303, Grade- E CoCr-A | CQA (Metals) |
| 54 | 3439000107 | ROD WELDING Zn BASE 3.15mm | Proprietary Article | CQA (Metals) |
| 55 | 3439000108 | ROD WELDING Zn BASE 6.30mm | Proprietary Article | CQA (Metals) |
| 56 | 3439000109 | ROD WELDING ALUMINIUM 5% SILICON 3.15mm | IS:1278, Type S-NG 21 | CQA (Metals) |
| 57 | 3439000110 | ROD WELDING ALUMINIUM 5% SILICON 5.00mm | IS:1278, Type S-NG 21 | CQA (Metals) |
| 58 | 3439000111 | ROD WELDING ALUMINIUM 5% SILICON 6.30mm | IS:1278, Type S-NG 21 | CQA (Metals) |
| 59 | 3439000112 | ROD WELDING ALUMINIUM 5% COPPER 3.15mm | Cu%=4.00-6.00, Fe%=0.25 Max, Al=Base. | CQA (Metals) |
| 60 | 3439000113 | ROD WELDING ALUMINIUM 5% COPPER 6.30mm | Cu%=4.00-6.00, Fe%=0.25 Max, Al=Base. | CQA (Metals) |
| 61 | 3439000114 | ROD WELDING ALUMINIUM BRONZE 3.15mm | IS:1278, Type S-C4 | CQA (Metals) |
| 62 | 3439000115 | ROD WELDING ALUMINIUM PURE 3.15mm | IS:1278, Type S-G1B | CQA (Metals) |
| 63 | 3439000116 | ROD WELDING ALUMINIUM MAGNESIUM ALLOY(Y-Metal) 5.00mm | IS:1278, Type S-NG6 | CQA (Metals) |
| 64 | 3439000117 | ROD WELDING NICKEL STEEL 2 TO 3.5% AND CAST STEEL(Building up) 1.6mm | IS:1278, Type S-FS4 | CQA (Metals) |
| 65 | 3439000118 | ROD WELDING NICKEL STEEL 2 TO 3.5% AND CAST STEEL(Building up) 3.15mm | IS:1278, Type S-FS4 | CQA (Metals) |
| 66 | 3439000119 | ROD WELDING NICKEL STEEL 2 TO 3.5% AND CAST STEEL(Building up) 5.00mm | IS:1278, Type S-FS4 | CQA (Metals) |
| 67 | 3439000120 | ROD WELDING NICKEL STEEL 2 TO 3.5% AND CAST STEEL(Building up) 6.30mm | IS:1278, Type S-FS4 | CQA (Metals) |
| 68 | 3439000142 | ELECTRODE CUTTING SOLID CHAMFERING AND GROOVING METAL 3.15 mm | Proprietary Article | CQA (Metals) |
| 69 | 3439000143 | ELECTRODE HIGH NICKEL ALLOY STEEL 3.15mm | IS:8736, Classification: ENiCrFe-1 or ENiCrFe-2 | CQA (Metals) |
| 70 | 3439000144 | ELECTRODE HIGH NICKEL ALLOY STEEL 5.00mm | IS:8736, Classification: ENiCrFe-1 or ENiCrFe-2 | CQA (Metals) |
| 71 | 3439000145 | ELECTRODE WELDING CAST IRON 2.50mm | IS:5511, Classification: Ni-Fe | CQA (Metals) |
| 72 | 3439000146 | ELECTRODE WELDING CAST IRON 3.15mm | IS:5511, Classification: Ni-Fe | CQA (Metals) |
| 73 | 3439000147 | ELECTRODE WELDING CAST IRON 4.00mm | IS:5511, Classification: Ni-Fe | CQA (Metals) |
| 74 | 3439000148 | ELECTRODE WELDING HIGH ALLOY STEEL 2.50mm | IS:5206, Classification: E 23.12.2 OR E 25.20.2 | CQA (Metals) |
| 75 | 3439000149 | ELECTRODE WELDING HIGH ALLOY STEEL 3.15mm | IS:5206, Classification: E 23.12.2 OR E 25.20.2 | CQA (Metals) |
| 76 | 3439000150 | ELECTRODE WELDING HIGH ALLOY STEEL 5.00mm | IS:5206, Classification: E 23.12.2 OR E 25.20.2 | CQA (Metals) |
| 77 | 3439000153 | BRAZING ALLOY SILVER WIRE(with appropriate flux to be supplied separately in a sealed container) 1.60mm dia. | IS:2927, Classification: BA CuAg6 or BA CuAg10 or BA CuAg15 | CQA (Metals) |
| 78 | 3439000154 | BRAZING ALLOY SILVER WIRE(with appropriate flux to be supplied separately in a sealed container) 3.15 mm dia. | IS:2927, Classification: BA CuAg6 or BA CuAg10 or BA CuAg15 | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|--------------|
| 79 | 3439000155 | BRAZING ALLOY SILVER WIRE(with appropriate flux to be supplied separately in a sealed container) 1.60mm dia. | IS:2927, Classification: BA CuAg12 or BA CuAg18 | CQA (Metals) |
| 80 | 3439000156 | BRAZING ALLOY SILVER WIRE(with appropriate flux to be supplied separately in a sealed container) 3.15 mm dia. | IS:2927, Classification: BA CuAg12 or BA CuAg18 | CQA (Metals) |
| 81 | 3439000167 | FLUX WELDING ALUMINIUM 110g container | JSS:3439-05:1993 | CQA (Metals) |
| 82 | 3439000171 | FLUX WELDING BRONZE 450g container | JSS:3439-05:1993 | CQA (Metals) |
| 83 | 3439000202 | SOLDER SOFT GRADE-B | IS:193, Grade Sn 50 Sb | CQA (Metals) |
| 84 | 3439000203 | SOLDER SOFT GRADE-C | IS:193, Grade Sn 40 Sb | CQA (Metals) |
| 85 | 3439000204 | SOLDER SOFT GRADE-D | IS:193, Grade Sn 30 Sb | CQA (Metals) |
| 86 | 3439000205 | SOLDER SOFT GRADE-F, Rosin cored 50% Tin content 3.15mm | IS:1921, Grade 50 Activated | CQA (Metals) |
| 87 | 3439000214 | ROD WELDING ALUMINIUM 5% COPPER 1.60mm | Proprietary Article | CQA (Metals) |
| 88 | 3439000215 | BRAZING ALLOY COPPER-ZINC STRIP 6X2 mm | IS:2927, Classification: BA Cu Zn 2 | CQA (Metals) |
| 89 | 3439000220 | FLUX WELDING ALLUMINIUM BRONZE (250g container) | Proprietary Article | CQA (Metals) |
| 90 | 3439000221 | FLUX WELDING IRON CAST | JSS:3439-05:1993 | CQA (Metals) |
| 91 | 3439000222 | SOLDER ALLUMINIUM BEEDEE | Proprietary Article | CQA (Metals) |
| 92 | 3439000223 | BRAZING ALLOY BRAZING ALLOY SILVER (14-17g Piece) | IS:2927, Classification: BA CuAg6 | CQA (Metals) |
| 93 | 4710000008 | TUBING STEEL LIGHT(For Automotive Purpose) 10.2mm O.D. X 1mm Thickness. | IS:3074, CDS-2, As drawn Or As drawn & tempered, IS:5429 for dimension. | CQA (Metals) |
| 94 | 4710000010 | TUBING STEEL LIGHT(For Automotive Purpose) 16mm O.D. X 1.6mm Thickness. | IS:3074, CDS-2, As drawn Or As drawn & tempered, IS:5429 for dimension. | CQA (Metals) |
| 95 | 4710000012 | TUBING STEEL LIGHT(For Automotive Purpose) 25.4mm O.D. X 3.2mm Thickness. | IS:3074, CDS-2, As drawn Or as drawn & tempered, IS:5429 for dimensions. | CQA (Metals) |
| 96 | 4710000013 | TUBING STEEL LIGHT(FOR AUTOMOTIVE PURPOSE) 38.00mm OD X 2.6mm Thickness. | IS:3074, CDS-2, As drawn Or as drawn & tempered, IS:5429 for dimensions. | CQA (Metals) |
| 97 | 4710000014 | PIPING Steel Light 10mm Nominal bore X 1.8mm Thickness. | IS:1239(Part-1), Light | CQA (Metals) |
| 98 | 4710000068 | PIPING Seamless Brass OD 5mm X WT 0.80mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 99 | 4710000069 | PIPING Seamless Brass OD 6mm X WT 1.00mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 100 | 4710000071 | PIPING Seamless Brass OD 10mm X WT 1.50mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 101 | 4710000072 | PIPING Seamless Brass OD 12mm X WT 1.20mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 102 | 4710000073 | PIPING Seamless Brass OD 12mm X WT 1.50mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 103 | 4710000074 | PIPING Seamless Brass OD 16mm X WT 1.50mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 104 | 4710000075 | PIPING Seamless Brass OD 20mm X WT 1.50mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 105 | 4710000080 | PIPING Seamless Brass OD 32mm X WT 1.50mm | IS:407, Grade: CuZn30, As drawn and Stress relieved - Hard Tempered(HD) | CQA (Metals) |
| 106 | 4710000096 | TUBING Copper Round Seamless OD 5mm X WT 0.80mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 107 | 4710000097 | TUBING Copper Round Seamless OD 8mm X WT 0.80mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 108 | 4710000098 | TUBING Copper Round Seamless OD 10mm X WT 0.80mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 109 | 4710000099 | TUBING Copper Round Seamless OD 12mm X WT 0.80mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 110 | 4710000100 | TUBING Copper Round Seamless OD 16mm X WT 1.20mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 111 | 4710000101 | TUBING Copper Round Seamless OD 20mm X WT 1.50mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 112 | 4710000102 | TUBING Copper Round Seamless OD 22mm X WT 1.50mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 113 | 4710000103 | TUBING Copper Round Seamless OD 28mm X WT 1.50mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 114 | 4710000104 | TUBING Copper Round Seamless OD 32mm X WT 2.00mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 115 | 4710000105 | TUBING Copper Round Seamless OD 40mm X WT 2.50mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 116 | 4710000106 | TUBING Copper Round Seamless OD 50mm X WT 1.50mm | IS:2501, Grade: DHP in As drawn condition; IS:5493 for sizes. | CQA (Metals) |
| 117 | 4710000767 | PIPING Lead :Gas, Nominal bore 19.05mm X 1828.8mm length | IS:404 (Part-1), Composition-1 | CQA (Metals) |
| 118 | 5330006546 | CAULKING LEAD WOOL | IS:782, Grade 99.8 of IS:3717 | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------|--------------|
| 119 | 5335000017 | WIRE FABRIC Brass or Bronze Avg. Aperture Width 500 micron X Nominal Wire Dia 0.250mm | IS:1568 | CQA (Metals) |
| 120 | 5335000018 | WIRE FABRIC Brass or Bronze Avg. Aperture Width 600 micron X Nominal Wire Dia 0.280mm | IS:1568 | CQA (Metals) |
| 121 | 5335000020 | WIRE FABRIC Brass or Bronze Avg. Aperture Width 850 micron X Nominal Wire Dia 0.320mm | IS:1568 | CQA (Metals) |
| 122 | 5335000021 | WIRE FABRIC Brass or Bronze Avg. Aperture Width 150 micron X Nominal Wire Dia 0.112mm | IS:1568 | CQA (Metals) |
| 123 | 5335000022 | WIRE FABRIC Brass or Bronze Avg. Aperture Width 180 micron X Nominal Wire Dia 0.125mm | IS:1568 | CQA (Metals) |
| 124 | 5335000023 | WIRE FABRIC Brass or Bronze Avg. Aperture Width 425 micron X Nominal Wire Dia 0.200mm | IS:1568 | CQA (Metals) |
| 125 | 5335000940 | WIRE FABRIC Steel Light Avg. Aperture Width 10 mm X Nominal Wire Dia 2 mm | IS:2405 (Part-1), Plain Weave and Precrimped wire | CQA (Metals) |
| 126 | 6145005869 | WIRE Electrical Copper Soft 0.19mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 127 | 6145005870 | WIRE Electrical Copper Soft 0.56mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 128 | 6145005871 | WIRE Electrical Copper Soft 0.71mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 129 | 6145005872 | WIRE Electrical Copper Soft 0.91mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 130 | 6145005873 | WIRE Electrical Copper Soft 1.22mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 131 | 6145005874 | WIRE Electrical Copper Soft 1.63mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 132 | 6145005875 | WIRE Electrical Copper Soft 2.03mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 133 | 6145005876 | WIRE Electrical Copper Soft 2.64mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 134 | 6145005877 | WIRE Electrical Copper Soft 3.25mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 135 | 6145005878 | WIRE Electrical Copper Soft 4.88mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 136 | 6145005879 | WIRE Electrical Copper Soft 5.89mm | IS:191-2007, Designation: Cu-ETP or Cu-FRHC | CQA (Metals) |
| 137 | 9505000002 | WIRE STEEL MILD BRIGHT 5.00mm | IS:280, Hard | CQA (Metals) |
| 138 | 9505000003 | WIRE STEEL MILD BRIGHT 4.00mm | IS:280, Hard | CQA (Metals) |
| 139 | 9505000004 | WIRE STEEL MILD BRIGHT 3.15mm | IS:280, Hard | CQA (Metals) |
| 140 | 9505000005 | WIRE STEEL MILD BRIGHT 2.50mm | IS:280, Hard | CQA (Metals) |
| 141 | 9505000007 | WIRE STEEL MILD ANNEALED 4mm | IS:280, Annealed | CQA (Metals) |
| 142 | 9505000009 | WIRE STEEL MILD ANNEALED 1.60mm | IS:280, Annealed | CQA (Metals) |
| 143 | 9505000012 | WIRE STEEL MILD ANNEALED 1.00mm | IS:280, Annealed | CQA (Metals) |
| 144 | 9505000013 | WIRE STEEL MILD ANNEALED 1.25mm | IS:280, Annealed | CQA (Metals) |
| 145 | 9505000014 | WIRE STEEL MILD ANNEALED 2.00mm | IS:280, Annealed | CQA (Metals) |
| 146 | 9505000015 | WIRE STEEL MILD ANNEALED 3.15mm | IS:280, Annealed | CQA (Metals) |
| 147 | 9505000016 | WIRE STEEL MILD GALVANISED 5.00mm | IS:280, Annealed Galvanised Heavy Coating | CQA (Metals) |
| 148 | 9505000018 | WIRE STEEL MILD ANNEALED 0.56mm | IS:280, Annealed | CQA (Metals) |
| 149 | 9505000025 | WIRE STEEL MILD BRIGHT 1.00mm | IS:280, Hard | CQA (Metals) |
| 150 | 9505000026 | WIRE STEEL MILD BRIGHT 1.25mm | IS:280, Hard | CQA (Metals) |
| 151 | 9505000027 | WIRE STEEL MILD BRIGHT 1.60mm | IS:280, Hard | CQA (Metals) |
| 152 | 9505000028 | WIRE STEEL MILD BRIGHT 2.00mm | IS:280, Hard | CQA (Metals) |
| 153 | 9505000029 | WIRE STEEL MILD BRIGHT 6.30mm | IS:280, Hard | CQA (Metals) |
| 154 | 9505000030 | WIRE STEEL MILD, HARD DRAWN, GALVANISED 0.560mm | IS:280, Hard Galvanised Heavy Coating | CQA (Metals) |
| 155 | 9505000031 | WIRE STEEL MILD, HARD DRAWN, GALVANISED 1.00mm | IS:280, Hard Galvanised Heavy Coating | CQA (Metals) |
| 156 | 9505000033 | WIRE STEEL MILD, HARD DRAWN, GALVANISED 1.60mm | IS:280, Hard Galvanised Heavy Coating | CQA (Metals) |
| 157 | 9505000034 | WIRE STEEL MILD, HARD DRAWN, GALVANISED 2.00mm | IS:280, Hard Galvanised Heavy Coating | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|------------------------------------------------|-------------------------------------------------------------------------|--------------|
| 158 | 9505000035 | WIRE STEEL MILD, HARD DRAWN, GALVANISED 2.50mm | IS:280, Hard Galvanised Heavy Coating | CQA (Metals) |
| 159 | 9505000036 | WIRE STEEL MILD, HARD DRAWN, GALVANISED 3.15mm | IS:280, Hard Galvanised Heavy Coating | CQA (Metals) |
| 160 | 9505000037 | WIRE STEEL MILD, HARD DRAWN, GALVANISED 4.00mm | IS:280, Hard Galvanised Heavy Coating | CQA (Metals) |
| 161 | 9505000045 | WIRE STEEL MILD, DRAWN, GALVANISED, 0.315mm | IS:280, 1/4 Hard (With Tensile 400 to 600 Mpa) Galvanised Heavy Coating | CQA (Metals) |
| 162 | 9505000046 | WIRE STEEL MILD DRAWN, GALVANISED 1.00mm. | IS:280, 1/4 Hard (With Tensile 400 to 600 Mpa) Galvanised Heavy Coating | CQA (Metals) |
| 163 | 9505000047 | WIRE STEEL MILD DRAWN, GALVANISED 2.00mm | IS:280, 1/4 Hard (With Tensile 400 to 600 Mpa) Galvanised Heavy Coating | CQA (Metals) |
| 164 | 9505000048 | WIRE STEEL SPRING SOFT 0.400mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 165 | 9505000049 | WIRE STEEL SPRING SOFT 0.500mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 166 | 9505000050 | WIRE STEEL SPRING SOFT 0.560mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 167 | 9505000052 | WIRE STEEL SPRING SOFT 1.25mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 168 | 9505000053 | WIRE STEEL SPRING SOFT 1.60mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 169 | 9505000054 | WIRE STEEL SPRING SOFT 2.00mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 170 | 9505000055 | WIRE STEEL SPRING SOFT 2.50mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 171 | 9505000056 | WIRE STEEL SPRING SOFT 3.15mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 172 | 9505000057 | WIRE STEEL SPRING SOFT 4.00mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 173 | 9505000058 | WIRE STEEL MILD ANNEALED 5.00mm | IS:280, Annealed | CQA (Metals) |
| 174 | 9505000059 | WIRE STEEL MILD GALVANISED 0.56mm | IS:280, Annealed Galvanised Heavy Coating | CQA (Metals) |
| 175 | 9505000061 | WIRE STEEL MILD GALVANISED 1.25mm | IS:280, Annealed Galvanised Heavy Coating | CQA (Metals) |
| 176 | 9505000062 | WIRE STEEL MILD GALVANISED 1.60mm | IS:280, Annealed Galvanised Heavy Coating | CQA (Metals) |
| 177 | 9505000064 | WIRE STEEL MILD GALVANISED 3.15mm | IS:280, Annealed Galvanised Heavy Coating | CQA (Metals) |
| 178 | 9505000065 | WIRE STEEL MILD GALVANISED 4.00mm | IS:280, Annealed Galvanised Heavy Coating | CQA (Metals) |
| 179 | 9505000083 | WIRE STEEL SPRING BRIGHT 0.315mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 180 | 9505000084 | WIRE STEEL SPRING BRIGHT 0.500mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 181 | 9505000085 | WIRE STEEL SPRING BRIGHT 1.00mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 182 | 9505000086 | WIRE STEEL SPRING BRIGHT 1.25mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 183 | 9505000087 | WIRE STEEL SPRING BRIGHT 1.60mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 184 | 9505000088 | WIRE STEEL SPRING BRIGHT 2.00mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 185 | 9505000089 | WIRE STEEL SPRING BRIGHT 2.50mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 186 | 9505000090 | WIRE STEEL SPRING BRIGHT 3.15mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 187 | 9505000091 | WIRE STEEL SPRING BRIGHT 4.00mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 188 | 9505000092 | WIRE STEEL SPRING BRIGHT 5.00mm | IS:4454 (Part-1), Grade-DH | CQA (Metals) |
| 189 | 9505000123 | WIRE STEEL MILD ANNEALED 2.50mm | IS:280, Annealed | CQA (Metals) |
| 190 | 9505000125 | WIRE STEEL MILD GALVANISED 0.710mm | IS:280, Annealed Galvanised Heavy Coating | CQA (Metals) |
| 191 | 9505000128 | WIRE STEEL SPRING SOFT 0.710mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 192 | 9505000129 | WIRE STEEL SPRING SOFT 5.00mm | BS:1429, Grade 070A72, NS Annealed | CQA (Metals) |
| 193 | 9505000130 | WIRE STEEL SPRING BRIGHT 0.250mm | IS:4454 (Part-1), Grade- DH | CQA (Metals) |
| 194 | 9505000134 | WIRE STEEL MILD ANNEALED 6.00mm | IS:280, Annealed | CQA (Metals) |
| 195 | 9505000233 | WIRE STEEL CARBON 3.5 mm Dia | IS:4454 (Part-1), Grade- DH | CQA (Metals) |
| 196 | 9510000001 | STEEL BAR CARBON HOT ROLLED SQUARE 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 197 | 9510000002 | STEEL BAR CARBON HOT ROLLED SQUARE 8mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 198 | 9510000003 | STEEL BAR CARBON HOT ROLLED SQUARE 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 199 | 9510000004 | STEEL BAR CARBON HOT ROLLED SQUARE 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 200 | 9510000005 | STEEL BAR CARBON HOT ROLLED SQUARE 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------------------------|--------------------------------------|--------------|
| 201 | 9510000006 | STEEL BAR CARBON HOT ROLLED SQUARE 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 202 | 9510000008 | STEEL BAR CARBON HOT ROLLED SQUARE 25mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 203 | 9510000009 | STEEL BAR CARBON HOT ROLLED SQUARE 28mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 204 | 9510000010 | STEEL BAR CARBON HOT ROLLED SQUARE 32mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 205 | 9510000011 | STEEL BAR CARBON HOT ROLLED SQUARE 40mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 206 | 9510000012 | STEEL BAR CARBON HOT ROLLED SQUARE 45mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 207 | 9510000013 | STEEL BAR CARBON HOT ROLLED SQUARE 50mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 208 | 9510000014 | STEEL BAR CARBON HOT ROLLED SQUARE 56mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 209 | 9510000015 | STEEL BAR CARBON HOT ROLLED SQUARE 63mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 210 | 9510000016 | STEEL BAR CARBON HOT ROLLED SQUARE 80mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 211 | 9510000017 | STEEL BAR CARBON HOT ROLLED SQUARE 90mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 212 | 9510000018 | STEEL BAR CARBON HOT ROLLED ROUND 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 213 | 9510000019 | STEEL BAR CARBON HOT ROLLED ROUND 8mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 214 | 9510000020 | STEEL BAR CARBON HOT ROLLED ROUND 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 215 | 9510000021 | STEEL BAR CARBON HOT ROLLED ROUND 11mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 216 | 9510000022 | STEEL BAR CARBON HOT ROLLED ROUND 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 217 | 9510000023 | STEEL BAR CARBON HOT ROLLED ROUND 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 218 | 9510000024 | STEEL BAR CARBON HOT ROLLED ROUND 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 219 | 9510000025 | STEEL BAR CARBON HOT ROLLED ROUND 22mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 220 | 9510000026 | STEEL BAR CARBON HOT ROLLED ROUND 25mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 221 | 9510000027 | STEEL BAR CARBON HOT ROLLED ROUND 28mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 222 | 9510000028 | STEEL BAR CARBON HOT ROLLED ROUND 32mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 223 | 9510000029 | STEEL BAR CARBON HOT ROLLED ROUND 36mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 224 | 9510000030 | STEEL BAR CARBON HOT ROLLED ROUND 40mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 225 | 9510000031 | STEEL BAR CARBON HOT ROLLED ROUND 45mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 226 | 9510000032 | STEEL BAR CARBON HOT ROLLED ROUND 50mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 227 | 9510000033 | STEEL BAR CARBON HOT ROLLED ROUND 56mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 228 | 9510000034 | STEEL BAR CARBON HOT ROLLED ROUND 63mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 229 | 9510000035 | STEEL BAR CARBON HOT ROLLED ROUND 71mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 230 | 9510000036 | STEEL BAR CARBON HOT ROLLED ROUND 80mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 231 | 9510000037 | STEEL BAR CARBON HOT ROLLED ROUND 90mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 232 | 9510000038 | STEEL BAR CARBON HOT ROLLED ROUND 100mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 233 | 9510000039 | STEEL BAR CARBON HOT ROLLED ROUND 110mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 234 | 9510000040 | STEEL BAR CARBON HOT ROLLED ROUND 125mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 235 | 9510000041 | STEEL BAR CARBON HOT ROLLED ROUND 160mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 236 | 9510000042 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 25 X 3 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 237 | 9510000043 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 25 X 5 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 238 | 9510000044 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 25 X 6 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 239 | 9510000045 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 25 X 8 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 240 | 9510000046 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 25 X 10 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------------------------|--------------------------------------|--------------|
| 241 | 9510000047 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 25 X 12 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 242 | 9510000048 | STEEL BAR CARBON HOT ROLLED FLAT 25 X 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 243 | 9510000049 | STEEL BAR CARBON HOT ROLLED FLAT 25 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 244 | 9510000050 | STEEL BAR CARBON HOT ROLLED FLAT 30 X 3mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 245 | 9510000052 | STEEL BAR CARBON HOT ROLLED FLAT 30 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 246 | 9510000054 | STEEL BAR CARBON HOT ROLLED FLAT 30 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 247 | 9510000055 | STEEL BAR CARBON HOT ROLLED FLAT 30 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 248 | 9510000057 | STEEL BAR CARBON HOT ROLLED FLAT 40 X 5mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 249 | 9510000058 | STEEL BAR CARBON HOT ROLLED FLAT 40 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 250 | 9510000060 | STEEL BAR CARBON HOT ROLLED FLAT 40 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 251 | 9510000061 | STEEL BAR CARBON HOT ROLLED FLAT 40 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 252 | 9510000062 | STEEL BAR CARBON HOT ROLLED FLAT 40 X 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 253 | 9510000064 | STEEL BAR CARBON HOT ROLLED FLAT 40 X 25mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 254 | 9510000066 | STEEL BAR CARBON HOT ROLLED FLAT 50 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 255 | 9510000068 | STEEL BAR CARBON HOT ROLLED FLAT 50 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 256 | 9510000069 | STEEL BAR CARBON HOT ROLLED FLAT 50 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 257 | 9510000070 | STEEL BAR CARBON HOT ROLLED FLAT 50 X 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 258 | 9510000071 | STEEL BAR CARBON HOT ROLLED FLAT 50 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 259 | 9510000072 | STEEL BAR CARBON HOT ROLLED FLAT 50 X 25mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 260 | 9510000073 | STEEL BAR CARBON HOT ROLLED FLAT 65 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 261 | 9510000075 | STEEL BAR CARBON HOT ROLLED FLAT 65 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 262 | 9510000076 | STEEL BAR CARBON HOT ROLLED FLAT 65 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 263 | 9510000077 | STEEL BAR CARBON HOT ROLLED FLAT 65 X 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 264 | 9510000078 | STEEL BAR CARBON HOT ROLLED FLAT 65 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 265 | 9510000079 | STEEL BAR CARBON HOT ROLLED FLAT 65 X 25mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 266 | 9510000080 | STEEL BAR CARBON HOT ROLLED FLAT 80 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 267 | 9510000083 | STEEL BAR CARBON HOT ROLLED FLAT 80 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 268 | 9510000084 | STEEL BAR CARBON HOT ROLLED FLAT 75 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 269 | 9510000085 | STEEL BAR CARBON HOT ROLLED FLAT 80 X 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 270 | 9510000086 | STEEL BAR CARBON HOT ROLLED FLAT 80 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 271 | 9510000087 | STEEL BAR CARBON HOT ROLLED FLAT 75 X 25mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 272 | 9510000088 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 273 | 9510000089 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 274 | 9510000090 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 275 | 9510000091 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 276 | 9510000092 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 277 | 9510000094 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 25mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 278 | 9510000096 | STEEL BAR CARBON HOT ROLLED FLAT 130 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 279 | 9510000100 | STEEL BAR CARBON HOT ROLLED FLAT 160 X 16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 280 | 9510000101 | STEEL BAR CARBON HOT ROLLED FLAT 160 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 281 | 9510000111 | STEEL BAR CARBON HOT ROLLED FLAT 45 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 282 | 9510000112 | STEEL BAR CARBON HOT ROLLED FLAT 45 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|-------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------|
| 283 | 9510000113 | STEEL BAR CARBON HOT ROLLED FLAT 20 X 5mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 284 | 9510000114 | STEEL BAR CARBON HOT ROLLED FLAT 20 X 6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 285 | 9510000115 | STEEL BAR CARBON HOT ROLLED FLAT 20 X 10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 286 | 9510000116 | STEEL BAR CARBON HOT ROLLED ROUND 32mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 287 | 9510000117 | STEEL BAR CARBON HOT ROLLED ROUND 45mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 288 | 9510000120 | STEEL BAR CARBON MANGANESE SQUARE 40mm | BS:970 (Part-1), 150M19, Normalised | CQA (Metals) |
| 289 | 9510000121 | STEEL BAR CARBON ROUND 25mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 290 | 9510000122 | STEEL BAR CARBON ROUND 32mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 291 | 9510000124 | STEEL BAR CARBON ROUND 50mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 292 | 9510000127 | STEEL BAR CARBON SQUARE 38mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 293 | 9510000128 | STEEL BAR CARBON SQUARE 50mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 294 | 9510000129 | STEEL BAR CARBON ROUND 25mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 295 | 9510000130 | STEEL BAR CARBON ROUND 32mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 296 | 9510000133 | STEEL BAR CARBON ROUND 50mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 297 | 9510000134 | STEEL BAR CARBON SQUARE 25mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 298 | 9510000159 | STEEL BAR CARBON HOT ROLLED FLAT 20X12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 299 | 9510000161 | STEEL BAR CARBON HOT ROLLED FLAT 45 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 300 | 9510000163 | STEEL BAR CARBON HOT ROLLED FLAT 55 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 301 | 9510000164 | STEEL BAR CARBON HOT ROLLED FLAT 70 X 12mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 302 | 9510000165 | STEEL BAR CARBON HOT ROLLED FLAT 90 X 20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 303 | 9510000171 | STEEL BAR LOW CARBON HOT ROLLED SEGMENTAL OR HALF ROUND 32X10 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 304 | 9510000173 | STEEL BAR LOW CARBON HOT ROLLED SEGMENTAL OR HALF ROUND 40 X12 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 305 | 9510000181 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 15X6 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 306 | 9510000182 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 15X10 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 307 | 9510000183 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 20X8 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 308 | 9510000188 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 45X20mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 309 | 9510000189 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 45X30mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 310 | 9510000190 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 50X30mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 311 | 9510000192 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 55X6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 312 | 9510000193 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 55X10mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 313 | 9510000194 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 55X16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 314 | 9510000199 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 75X40mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 315 | 9510000201 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 90X6mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 316 | 9510000202 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 90X8mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 317 | 9510000205 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 90X16mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------|
| 350 | 9510000277 | STEEL BAR CARBON HOT ROLLED ROUND 6mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 351 | 9510000278 | STEEL BAR CARBON HOT ROLLED ROUND 8mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 352 | 9510000279 | STEEL BAR CARBON HOT ROLLED ROUND 10mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 353 | 9510000280 | STEEL BAR CARBON HOT ROLLED ROUND 12mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 354 | 9510000281 | STEEL BAR CARBON HOT ROLLED ROUND 70mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 355 | 9510000282 | STEEL BAR CARBON HOT ROLLED ROUND 90mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 356 | 9510000283 | STEEL BAR CARBON HOT ROLLED ROUND 100mm | IS: 5517: 1993 (Reaff-2004), Grade- 40C8, Supply condition Normalized and test condition is Hardened and Tempered. | CQA (Metals) |
| 357 | 9510000287 | STEEL BAR ALLOY COLD FINISHED ROUND (WELDING QUALITY) 12mm | BS:970 (Part-I), Grade 150M19 Cold Drawn Normalised Proof Stress Tested | CQA (Metals) |
| 358 | 9510000288 | STEEL BAR ALLOY COLD FINISHED ROUND (WELDING QUALITY) 16mm | BS:970 (Part-I), Grade 150M19 Cold Drawn Normalised Proof Stress Tested | CQA (Metals) |
| 359 | 9510000291 | STEEL BAR ALLOY COLD FINISHED ROUND (WELDING QUALITY) 28mm | BS:970 (Part-I), Grade 150M19 Cold Drawn Normalised Proof Stress Tested | CQA (Metals) |
| 360 | 9510000292 | STEEL BAR ALLOY COLD FINISHED ROUND (WELDING QUALITY) 36mm | BS:970 (Part-I), Grade 150M19 Cold Drawn Normalised Proof Stress Tested | CQA (Metals) |
| 361 | 9510000293 | STEEL BAR ALLOY COLD FINISHED ROUND (WELDING QUALITY) 40mm | BS:970 (Part-I), Grade 150M19 Cold Drawn Normalised Proof Stress Tested | CQA (Metals) |
| 362 | 9510000294 | STEEL BAR ALLOY HOT ROLLED ROUND 63mm | BS:970 (PT 1), Grade 150M19, Normalised | CQA (Metals) |
| 363 | 9510000295 | STEEL BAR ALLOY HOT ROLLED ROUND 80mm | BS:970 (PT 1), Grade 150M19, Normalised | CQA (Metals) |
| 364 | 9510000296 | STEEL BAR ALLOY HOT ROLLED ROUND 100mm | BS:970 (PT 1), Grade 150M19, Normalised | CQA (Metals) |
| 365 | 9510000299 | STEEL BAR NICKEL CHROMIUM MOLYBDENUM HARDENED AND TEMPERED ROUND 40mm | IS:5517, Designation: 40 Ni6Cr4Mo3 with mechanical properties of LRS 63 mm | CQA (Metals) |
| 366 | 9510000300 | STEEL BAR NICKEL CHROMIUM MOLYBDENUM HARDENED AND TEMPERED ROUND 50mm | IS:5517, Designation: 40 Ni6Cr4Mo3 with mechanical properties of LRS 63 mm | CQA (Metals) |
| 367 | 9510000302 | STEEL BAR Alloy Hot Rolled Flat 15 X 6mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 368 | 9510000303 | STEEL BAR Alloy Hot Rolled Flat 25 X 3mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 369 | 9510000304 | STEEL BAR Alloy Hot Rolled Flat 25 X 5mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 370 | 9510000305 | STEEL BAR Alloy Hot Rolled Flat 25 X 6mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 371 | 9510000306 | STEEL BAR Alloy Hot Rolled Flat 30 X 5mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 372 | 9510000307 | STEEL BAR Alloy Hot Rolled Flat 30 X 6mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 373 | 9510000309 | STEEL BAR Alloy Hot Rolled Flat 40 X 3mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 374 | 9510000310 | STEEL BAR Alloy Hot Rolled Flat 40 X 5mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 375 | 9510000311 | STEEL BAR Alloy Hot Rolled Flat 40 X 6mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 376 | 9510000312 | STEEL BAR Alloy Hot Rolled Flat 40 X 8mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 377 | 9510000313 | STEEL BAR Alloy Hot Rolled Flat 40 X 10mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 378 | 9510000315 | STEEL BAR Alloy Hot Rolled Flat 45 X 6mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 379 | 9510000317 | STEEL BAR Alloy Hot Rolled Flat 50 X 5mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 380 | 9510000318 | STEEL BAR Alloy Hot Rolled Flat 50 X 6mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 381 | 9510000319 | STEEL BAR Alloy Hot Rolled Flat 50 X 8mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 382 | 9510000321 | STEEL BAR Alloy Hot Rolled Flat 55 X 8mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 383 | 9510000323 | STEEL BAR Alloy Hot Rolled Flat 60 X 6mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 384 | 9510000324 | STEEL BAR Alloy Hot Rolled Flat 65 X 8mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 385 | 9510000329 | STEEL BAR Alloy Hot Rolled Flat 75 X 10mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 386 | 9510000331 | STEEL BAR Alloy Hot Rolled Flat 90 X 12mm | IS:3431 Grade 60 Si7 | CQA (Metals) |
| 387 | 9510000332 | STEEL BAR Alloy Hot Rolled Flat 130 X 12mm | IS:3431 Grade 60 Si7 | CQA (Metals) |

| SI No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|----------------------------------------------------|------------------------------|--------------|
| 388 | 9510000333 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 15 X 5mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 389 | 9510000334 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 20X10mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 390 | 9510000335 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 20X12mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 391 | 9510000336 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 25X6mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 392 | 9510000337 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 25X10mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 393 | 9510000338 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 25X12mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 394 | 9510000345 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 50X40mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 395 | 9510000346 | TOOL STEEL CARBON SQUARE 16mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 396 | 9510000349 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 30 X 6mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 397 | 9510000350 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 40 X 6mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 398 | 9510000353 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 40 X25mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 399 | 9510000354 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 50 X6mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 400 | 9510000355 | TOOL STEEL CARBON FLAT WIDTH X THICKNESS 65X12mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 401 | 9510000356 | TOOL STEEL CARBON SQUARE 6mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 402 | 9510000357 | TOOL STEEL CARBON SQUARE 10mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 403 | 9510000358 | TOOL STEEL CARBON SQUARE 12mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 404 | 9510000359 | TOOL STEEL CARBON SQUARE 20mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 405 | 9510000361 | TOOL STEEL CARBON ROUND 6mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 406 | 9510000363 | TOOL STEEL CARBON ROUND 10mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 407 | 9510000364 | TOOL STEEL CARBON ROUND 12mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 408 | 9510000365 | TOOL STEEL CARBON ROUND 16mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 409 | 9510000366 | TOOL STEEL CARBON ROUND 20mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 410 | 9510000367 | TOOL STEEL CARBON ROUND 22mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 411 | 9510000368 | TOOL STEEL CARBON HEXAGON A/F 12mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 412 | 9510000369 | TOOL STEEL CARBON HEXAGON A/F 25mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 413 | 9510000371 | TOOL STEEL CARBON OCTAGONAL A/F 22mm | IS:3748, Grade 133T3 | CQA (Metals) |
| 414 | 9510000373 | TOOL STEEL CARBON ROUND 63mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 415 | 9510000592 | TOOL STEEL HIGH SPEED SQUARE 5mm | IS:7291 Grade X T 72W18Cr4V1 | CQA (Metals) |
| 416 | 9510000593 | TOOL STEEL HIGH SPEED SQUARE 10mm | IS:7291 Grade X T 72W18Cr4V1 | CQA (Metals) |
| 417 | 9510000594 | TOOL STEEL HIGH SPEED SQUARE 20mm | IS:7291 Grade X T 72W18Cr4V1 | CQA (Metals) |
| 418 | 9510000595 | TOOL STEEL HIGH SPEED SQUARE 25mm | IS:7291 Grade X T 72W18Cr4V1 | CQA (Metals) |
| 419 | 9510000600 | TOOL STEEL HIGH SPEED ROUND 12mm | IS:7291 Grade X T 72W18Cr4V1 | CQA (Metals) |
| 420 | 9510000601 | TOOL STEEL HIGH SPEED ROUND 16mm | IS:7291 Grade X T 72W18Cr4V1 | CQA (Metals) |
| 421 | 9510000606 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 1.0 mm | BS:1407 | CQA (Metals) |
| 422 | 9510000607 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 1.5 mm | BS:1407 | CQA (Metals) |
| 423 | 9510000608 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 2.0 mm | BS:1407 | CQA (Metals) |
| 424 | 9510000610 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 3.0 mm | BS:1407 | CQA (Metals) |
| 425 | 9510000611 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 3.5 mm | BS:1407 | CQA (Metals) |
| 426 | 9510000612 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 4.0 mm | BS:1407 | CQA (Metals) |
| 427 | 9510000614 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 5.0 mm | BS:1407 | CQA (Metals) |
| 428 | 9510000615 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 5.5 mm | BS:1407 | CQA (Metals) |
| 429 | 9510000616 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 6.0 mm | BS:1407 | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 430 | 9510000617 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 6.5 mm | BS:1407 | CQA (Metals) |
| 431 | 9510000618 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 7.0 mm | BS:1407 | CQA (Metals) |
| 432 | 9510000619 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 7.5 mm | BS:1407 | CQA (Metals) |
| 433 | 9510000620 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 8.0 mm | BS:1407 | CQA (Metals) |
| 434 | 9510000621 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 8.5 mm | BS:1407 | CQA (Metals) |
| 435 | 9510000624 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 10 mm | BS:1407 | CQA (Metals) |
| 436 | 9510000625 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 10.5 mm | BS:1407 | CQA (Metals) |
| 437 | 9510000626 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 11.5 mm | BS:1407 | CQA (Metals) |
| 438 | 9510000627 | STEEL BAR CARBON COLD FINISHED BRIGHT ROUND 19.0 mm | BS:1407 | CQA (Metals) |
| 439 | 9510000908 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 12.7 X 9.52 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 440 | 9510000910 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 22.23 X 9.52 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 441 | 9510000911 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 22.23 X 12.7 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 442 | 9510000912 | STEEL BAR CARBON HOT ROLLED FLAT WIDTH X THICKNESS 28.58 X 9.52 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 443 | 9510000922 | TOOL STEEL CARBON OCTAGONAL A/F 22.22 mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 444 | 9510000925 | TOOL STEEL CARBON ROUND 6.35 mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 445 | 9510000926 | TOOL STEEL CARBON ROUND 7.94 mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 446 | 9510000927 | TOOL STEEL CARBON ROUND 9.52 mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 447 | 9510000929 | TOOL STEEL CARBON ROUND 12.7 mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 448 | 9510000930 | TOOL STEEL CARBON ROUND 15.88 mm | IS:3748, Grade 80T3 | CQA (Metals) |
| 449 | 9510000937 | TOOL STEEL HIGH SPEED SQUARE 6.35 mm | IS:7291, Grade X T72 W18Cr4V1 | CQA (Metals) |
| 450 | 9510000938 | TOOL STEEL HIGH SPEED SQUARE 12.7 mm | IS:7291, Grade X T72 W18Cr4V1 | CQA (Metals) |
| 451 | 9510001022 | STEEL BAR Carbon Cold Finished Round 4.76 mm | IS:4431, Designation: 11C10S25, Cold Drawn | CQA (Metals) |
| 452 | 9510001029 | STEEL BAR CARBON HOT ROLLED FLAT 31.75 X 19.05 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 453 | 9510001404 | STEEL BAR CARBON COLD FINISH HEXAGON A/F 15.88 mm | IS:9550-2001, Mech Prop in as cold drawn condition (table-3) & chemistry of steel shall conform to Desig 20c8/P50/K(table-1) to IS:1570 (Pt-2/Sec-1)-79 | CQA (Metals) |
| 454 | 9510001405 | STEEL BAR CARBON COLD FINISH HEXAGON A/F 19.05 mm | IS:9550-2001, Mech Prop in as cold drawn condition (table-3) & chemistry of steel shall conform to Desig 20c8/P50/K(table-1) to IS:1570 (Pt-2/Sec-1)-79 | CQA (Metals) |
| 455 | 9510001406 | STEEL BAR CARBON COLD FINISH HEXAGON A/F 22.22 mm | IS:9550-2001, Mech Prop in as cold drawn condition (table-3) & chemistry of steel shall conform to Desig 20c8/P50/K(table-1) to IS:1570 (Pt-2/Sec-1)-79 | CQA (Metals) |
| 456 | 9510001407 | STEEL BAR CARBON COLD FINISH HEXAGON A/F 25.4 mm | IS:9550-2001, Mech Prop in as cold drawn condition (table-3) & chemistry of steel shall conform to Desig 20c8/P50/K(table-1) to IS:1570 (Pt-2/Sec-1)-79 | CQA (Metals) |
| 457 | 9510001408 | STEEL BAR CARBON COLD FINISH HEXAGON A/F 23.34 mm | IS:9550-2001, Mech Prop in as cold drawn condition (table-3) & chemistry of steel shall conform to Desig 20c8/P50/K(table-1) to IS:1570 (Pt-2/Sec-1)-79 | CQA (Metals) |
| 458 | 9510001413 | STEEL BAR CARBON HOT ROLLED ROUND 41.28 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 459 | 9510001414 | STEEL BAR CARBON HOT ROLLED ROUND 47.62 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 460 | 9510001416 | STEEL BAR CARBON HOT ROLLED SQUARE 47.62 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 461 | 9510001418 | STEEL BAR CARBON HOT ROLLED CASE HARDENING ROUND 19.05 mm | IS:4432, Grade 10C4-C, Annealed | CQA (Metals) |
| 462 | 9510001465 | STEEL BAR CARBON HOT ROLLED ROUND 65 mm DIA | IS:5517, Designation: 55C8, Annealed | CQA (Metals) |
| 463 | 9510001466 | STEEL BAR CARBON HOT ROLLED ROUND 60 mm DIA | IS:5517, Designation: 40C8, Annealed | CQA (Metals) |
| 464 | 9510001467 | STEEL BAR CARBON HOT ROLLED ROUND 165 mm DIA | IS:5517, Designation: 40C8, Annealed | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 465 | 9510001468 | STEEL BAR CARBON HOT ROLLED ROUND 165 mm DIA | IS:5517, Designation: 55C8, Annealed | CQA (Metals) |
| 466 | 9510001469 | STEEL BAR CARBON HOT ROLLED ROUND 60 mm DIA | IS:5517, Designation: 55C8, Annealed | CQA (Metals) |
| 467 | 9510001470 | STEEL BAR CARBON HOT ROLLED ROUND 140 mm DIA | IS:5517, Designation: 40C8, Annealed | CQA (Metals) |
| 468 | 9510001471 | STEEL BAR CARBON HOT ROLLED ROUND 63 mm DIA | IS:5517, Designation: 55C8, Annealed | CQA (Metals) |
| 469 | 9510001472 | STEEL BAR CARBON HOT ROLLED ROUND 55 mm DIA | IS:5517, Designation: 55C8, Annealed | CQA (Metals) |
| 470 | 9510001473 | STEEL BAR CARBON COLD FINISH ROUND 8.00 mm | IS:9550-2001, Mech Prop in as cold drawn condition (table-3) & chemistry of steel shall conform to Desig 40C8/ P50/ K (table-1) to IS:1570 (Pt-2/Sec-1)-79 | CQA (Metals) |
| 471 | 9510001474 | STEEL BAR CARBON HOT ROLLED ROUND 35 mm DIA | IS:5517, Designation: 40C8, Annealed | CQA (Metals) |
| 472 | 9510001478 | STEEL BAR ALLOY HOT ROLLED ROUND 200 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 473 | 9510001479 | STEEL BAR ALLOY HOT ROLLED ROUND 160 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 474 | 9510001480 | STEEL BAR ALLOY HOT ROLLED ROUND 110 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 475 | 9510001481 | STEEL BAR ALLOY HOT ROLLED ROUND 80 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 476 | 9510001482 | STEEL BAR ALLOY HOT ROLLED ROUND 56 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 477 | 9510001483 | STEEL BAR ALLOY HOT ROLLED ROUND 45 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 478 | 9510001484 | STEEL BAR ALLOY HOT ROLLED ROUND 36 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 479 | 9510001485 | STEEL BAR ALLOY HOT ROLLED ROUND 40 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 480 | 9510001486 | STEEL BAR ALLOY HOT ROLLED ROUND 25 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 481 | 9510001487 | STEEL BAR ALLOY HOT ROLLED ROUND 22 mm | IS:5517, Designation: 40Cr4, Annealed | CQA (Metals) |
| 482 | 9510001488 | STEEL BAR ALLOY HOT ROLLED ROUND 200 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 483 | 9510001489 | STEEL BAR ALLOY HOT ROLLED ROUND 190 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 484 | 9510001490 | STEEL BAR ALLOY HOT ROLLED ROUND 90 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 485 | 9510001491 | STEEL BAR Alloy Hot Rolled Round 75mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 486 | 9510001492 | STEEL BAR ALLOY HOT ROLLED ROUND 65 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 487 | 9510001493 | STEEL BAR ALLOY HOT ROLLED ROUND 45 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 488 | 9510001494 | STEEL BAR ALLOY HOT ROLLED ROUND 32 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 489 | 9510001495 | STEEL BAR ALLOY HOT ROLLED ROUND 25mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 490 | 9510001496 | STEEL BAR ALLOY HOT ROLLED ROUND 22 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 491 | 9510001497 | STEEL BAR ALLOY HOT ROLLED ROUND 20 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 492 | 9510001498 | STEEL BAR ALLOY HOT ROLLED ROUND 8 mm | IS:5517, Designation: 42Cr4Mo2, Annealed | CQA (Metals) |
| 493 | 9510001499 | STEEL BAR ALLOY HOT ROLLED ROUND 35 mm | IS:5517, Designation: 40Ni6Cr4Mo3, Annealed | CQA (Metals) |
| 494 | 9510001500 | STEEL BAR ALLOY HOT ROLLED ROUND 70 mm | IS:5517, Designation: 40Ni6Cr4Mo3, Annealed | CQA (Metals) |
| 495 | 9510001514 | STEEL BAR ALLOY HOT ROLLED ROUND 38 mm | IS:4432 (Latest Issue), Designation: 13Ni13Cr3 | CQA (Metals) |
| 496 | 9510001518 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 12.0 mm | IS:5517, Designation: 40C8, Annealed | CQA (Metals) |
| 497 | 9510001519 | STEEL BAR CARBON HOT ROLLED FLAT 100 X 10.0 mm | IS:5517, Designation: 40C8, Annealed | CQA (Metals) |
| 498 | 9510001520 | STEEL BAR CARBON HOT ROLLED HEXAGON ACROSS FLAT 22.0 mm | IS:5517, Designation: 40C8, Annealed | CQA (Metals) |
| 499 | 9510001521 | TOOL STEEL CARBON ROUND 116 mm | IS:3748, Grade 85T6 | CQA (Metals) |
| 500 | 9510001525 | STEEL BAR ALLOY HOT ROLLED ROUND 22 mm | IS:5517, Designation 40Ni6Cr4Mo3, Annealed | CQA (Metals) |
| 501 | 9510001526 | STEEL BAR ALLOY HOT ROLLED ROUND 70 mm | BS:970 (Part-2) Grade 704A60, Hot Rolled | CQA (Metals) |
| 502 | 9510001527 | STEEL BAR CARBON HOT ROLLED ROUND 130 mm DIA | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 503 | 9510001528 | TOOL STEEL CARBON ROUND 200 mm | IS:3748, Grade 103T3 | CQA (Metals) |
| 504 | 9510001529 | STEEL BAR Carbon Hot Rolled Flat 200 X 12.7 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 505 | 9515000001 | STEEL PLATE TINNED 510mm X 355mm X 0.40 mm | IS:597 Charcoal Grade | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------|
| 506 | 9515000003 | STEEL PLATE TINNED 710mm X 510mm X 0.56mm | IS:597 Charcoal Grade | CQA (Metals) |
| 507 | 9515000004 | STEEL PLATE TINNED 865mmX 635mmX 0.64mm | IS:597 Charcoal Grade | CQA (Metals) |
| 508 | 9515000011 | STEEL SHEET CARBON COLD ROLLED 1800 X 900X0.50mm THICK | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 509 | 9515000012 | STEEL SHEET CARBON COLD ROLLED 1800 X 900X0.63 mm THICK | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 510 | 9515000016 | STEEL SHEET CARBON HOT ROLLED 1800 X 900X1.6 mm THICK | IS:5986-2011 Grade 255 | CQA (Metals) |
| 511 | 9515000022 | STEEL PLATE CARBON 2200X900X8.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 512 | 9515000025 | STEEL PLATE CARBON 2200X900X12.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 513 | 9515000026 | STEEL PLATE CARBON 2200X900X16.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 514 | 9515000027 | STEEL PLATE CARBON 2200X900X20.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 515 | 9515000029 | STEEL PLATE CARBON 2200X900X25.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 516 | 9515000030 | STEEL SHEET CARBON GALVANISED PLAIN 1800X900X0.50 mm | IS:277-1992, Designation GP Grade of Coating 450 | CQA (Metals) |
| 517 | 9515000031 | STEEL SHEET CARBON GALVANISED PLAIN 1800X900X0.63 mm | IS:277-1992, Designation GP Grade of Coating 450 | CQA (Metals) |
| 518 | 9515000032 | STEEL SHEET CARBON GALVANISED PLAIN 1800X900X0.80 mm | IS:277-1992, Designation GP Grade of Coating 450 | CQA (Metals) |
| 519 | 9515000033 | STEEL SHEET CARBON GALVANISED PLAIN 1800X900X1.00 mm | IS:277-1992, Designation GP Grade of Coating 450 | CQA (Metals) |
| 520 | 9515000034 | STEEL SHEET CARBON GALVANISED PLAIN 1800X900X1.20 mm | IS:277-1992, Designation GP Grade of Coating 450 | CQA (Metals) |
| 521 | 9515000035 | STEEL SHEET CARBON GALVANISED PLAIN 1800X900X1.60 mm | IS:277-1992, Designation GP Grade of Coating 450 | CQA (Metals) |
| 522 | 9515000121 | STEEL SHEET CARBON COLD ROLLED BLACK LACQUERED 850 mm X 625mmX 0.60 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 523 | 9515000127 | STEEL PLATE CARBON 6.00 mm | IS:1570 (Part-2) Designation: 40C8, S% 0.05 Max P% 0.05 Max as Rolled or Normalised | CQA (Metals) |
| 524 | 9515000128 | STEEL PLATE CARBON 12.00 mm | IS:1570 (Part-2) Designation: 40C8, S% 0.05 Max P% 0.05 Max as Rolled or Normalised | CQA (Metals) |
| 525 | 9515000129 | STEEL PLATE CARBON 20.00 mm | IS:1570 (Part-2) Designation: 40C8, S% 0.05 Max P% 0.05 Max as Rolled or Normalised | CQA (Metals) |
| 526 | 9515000130 | STEEL PLATE CARBON 25.00 mm | IS:1570 (Part-2) Designation: 40C8, S% 0.05 Max P% 0.05 Max as Rolled or Normalised | CQA (Metals) |
| 527 | 9515000131 | STEEL PLATE CARBON 40.00 mm | IS:1570 (Part-2) Designation: 40C8, S% 0.05 Max P% 0.05 Max as Rolled or Normalised | CQA (Metals) |
| 528 | 9515000132 | STEEL SHEET CARBON SPRING 1800X900X1.00 mm | BS:1449 EN 42G or EN 42J Cold Rolled and Bright Annealed | CQA (Metals) |
| 529 | 9515000133 | STEEL SHEET CARBON SPRING 1800X900X1.25 mm | BS:1449 EN 42G or EN 42J Cold Rolled and Bright Annealed | CQA (Metals) |
| 530 | 9515000134 | STEEL SHEET CARBON SPRING 1800X900X1.60 mm | BS:1449 EN 42G or EN 42J Cold Rolled and Bright Annealed | CQA (Metals) |
| 531 | 9515000135 | STEEL SHEET CARBON SPRING 1800X900X8.00 mm | BS:1449 EN 42G or EN 42J Cold Rolled and Bright Annealed | CQA (Metals) |
| 532 | 9515000136 | STEEL STRIP CARBON SPRING 12.5X0.160 mm | IS:2507 Designation 80C6 or 85C6 Cold Rolled and Annealed | CQA (Metals) |
| 533 | 9515000140 | STEEL STRIP CARBON SPRING 25.0X0.50 mm | IS:2507 Designation 80C6 or 85C6 Cold Rolled and Annealed | CQA (Metals) |
| 534 | 9515000697 | STEEL SHEET CARBON COLD ROLLED 2500X900X1.00 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 535 | 9515000698 | STEEL SHEET CARBON COLD ROLLED 2500X1250X1.00 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 536 | 9515000699 | STEEL SHEET CARBON COLD ROLLED 2500X900X1.25 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 537 | 9515000700 | STEEL SHEET CARBON COLD ROLLED 2500X1000X1.25 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 538 | 9515000701 | STEEL SHEET CARBON COLD ROLLED 2500X1250X1.25 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 539 | 9515000702 | STEEL SHEET CARBON COLD ROLLED 2500X900X1.60 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 540 | 9515000703 | STEEL SHEET CARBON COLD ROLLED 2500X1250X1.60 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 541 | 9515000704 | STEEL SHEET CARBON COLD ROLLED 2500X900X2.00 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 542 | 9515000705 | STEEL SHEET CARBON HOT ROLLED 2500X1000X2.00 mm | IS:5986-2011 Grade 255 | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|------------------------------------------------------------|-----------------------------------------------------------------|--------------|
| 543 | 9515000706 | STEEL SHEET CARBON HOT ROLLED 2500X1250X2.00 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 544 | 9515000707 | STEEL SHEET CARBON HOT ROLLED 2500X1000X2.50 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 545 | 9515000708 | STEEL SHEET CARBON HOT ROLLED 2500X1250X2.50 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 546 | 9515000709 | STEEL SHEET CARBON HOT ROLLED 2500X1000X3.15 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 547 | 9515000710 | STEEL SHEET CARBON HOT ROLLED 2500X1250X3.15 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 548 | 9515000711 | STEEL SHEET CARBON HOT ROLLED 4000X1000X3.15 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 549 | 9515000712 | STEEL SHEET CARBON HOT ROLLED 2500X1250X4.00 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 550 | 9515000713 | STEEL SHEET CARBON HOT ROLLED 4000X1000X4.00 mm | IS:5986-2011 Grade 255 | CQA (Metals) |
| 551 | 9515000714 | STEEL PLATE CARBON 3200X1500X6.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 552 | 9515000715 | STEEL PLATE CARBON 5000X1000X5.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 553 | 9515000716 | STEEL SHEET CARBON COLD ROLLED 2500X900X0.80 mm | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 554 | 9515000717 | STEEL PLATE CARBON 3200X1000X10.00 mm | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 555 | 9515000859 | STEEL STRIP CARBON HOT ROLLED 12.7 X 3.175 mm THICK | IS:1079, Grade- HR2 | CQA (Metals) |
| 556 | 9515000861 | STEEL STRIP CARBON HOT ROLLED 19.05 X 1.587 mm THICK | IS:1079, Grade- HR2 | CQA (Metals) |
| 557 | 9515000862 | STEEL STRIP CARBON HOT ROLLED 19.05 X 3.175 mm THICK | IS:1079, Grade- HR2 | CQA (Metals) |
| 558 | 9515000865 | STEEL STRIP CARBON HOT ROLLED 25.4 X 3.175 mm THICK | IS:1079, Grade- HR2 | CQA (Metals) |
| 559 | 9515000871 | STEEL STRIP CARBON HOT ROLLED 38.1 X 1.587 mm THICK | IS:1079, Grade- HR2 | CQA (Metals) |
| 560 | 9515000876 | STEEL STRIP CARBON HOT ROLLED 50.8 X 1.587 mm THICK | IS:1079, Grade- HR2 | CQA (Metals) |
| 561 | 9515000877 | STEEL STRIP CARBON HOT ROLLED 50.8 X 3.175 mm THICK | IS:1079, Grade- HR2 | CQA (Metals) |
| 562 | 9515000925 | STEEL SHEET CARBON COLD ROLLED 2500 X 1000 X 0.63 mm THICK | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 563 | 9515000926 | STEEL SHEET CARBON COLD ROLLED 2500 X 900 X 0.63 mm THICK | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 564 | 9515000927 | STEEL PLATE CARBON 3200 X 1000 X 8.00 mm THICK | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 565 | 9515000928 | STEEL PLATE CARBON 4500 X 2000 X 12.00 mm THICK | IS:2062-2011, Grade: E 250 Quality A | CQA (Metals) |
| 566 | 9515000929 | STEEL SHEET CARBON COLD ROLLED 2500 X 1250 X 2.00 mm THICK | IS:513 (Part-1)-2016, Designation General Purpose Grade 'CR1' | CQA (Metals) |
| 567 | 9520000001 | STEEL ANGLES 20X20X3 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 568 | 9520000002 | STEEL ANGLES 25X25X3 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 569 | 9520000003 | STEEL ANGLES 25X25X5 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 570 | 9520000004 | STEEL ANGLES 30X30X3 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 571 | 9520000005 | STEEL ANGLES 30X30X5 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 572 | 9520000006 | STEEL ANGLES 40X40X3 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 573 | 9520000007 | STEEL ANGLES 40X40X5 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 574 | 9520000008 | STEEL ANGLES 40X40X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 575 | 9520000009 | STEEL ANGLES 45X45X5 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 576 | 9520000010 | STEEL ANGLES 45X45X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 577 | 9520000011 | STEEL ANGLES 50X50X5 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 578 | 9520000012 | STEEL ANGLES 50X50X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 579 | 9520000013 | STEEL ANGLES 55X55X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 580 | 9520000015 | STEEL ANGLES 55X55X10 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 581 | 9520000016 | STEEL ANGLES 65X65X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 582 | 9520000017 | STEEL ANGLES 65X65X10 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |

| SI No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|------------------------------------------------|-----------------------------------------------------------------|--------------|
| 583 | 9520000018 | STEEL ANGLES 75X75X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 584 | 9520000019 | STEEL ANGLES 75X75X10 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 585 | 9520000020 | STEEL ANGLES 90X90X10 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 586 | 9520000021 | STEEL ANGLES 100X100X10 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 587 | 9520000022 | STEEL ANGLES 100X100X12 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 588 | 9520000023 | STEEL CHANNEL 75X40X4.4mm WEB X 7.3 mm FLANGE | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 589 | 9520000024 | STEEL CHANNEL 100X50X4.7mm WEB X 7.5 mm FLANGE | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 590 | 9520000025 | STEEL CHANNEL 150X75X5.4mm WEB X 9.0 mm FLANGE | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 591 | 9520000027 | STEEL ANGLES 80X80X12 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 592 | 9520000029 | STEEL 'T' SECTION MILD STEEL 50X50X6 mm | IS:2062-2011 & IS:1173-1978 (Reaff-2004) Grade: E 250 Quality A | CQA (Metals) |
| 593 | 9520000030 | STEEL 'T' SECTION MILD STEEL 60X60X6 mm | IS:2062-2011 & IS:1173-1978 (Reaff-2004) Grade: E 250 Quality A | CQA (Metals) |
| 594 | 9520000031 | STEEL ANGLES 35X35X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 595 | 9520000033 | STEEL ANGLES 35X35X5 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 596 | 9520000070 | STEEL CHANNEL 125X65X5 mm Web X 8.1mm FLANGE | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 597 | 9520000078 | STEEL ANGLES 25X25X6 mm | IS:2062-2011 & IS:808-1989 (Reaff-2009), Grade: E 250 Quality A | CQA (Metals) |
| 598 | 9525000012 | WIRE BRASS HALF HARD 5.00 mm | IS:4413, Designation: CuZn37, 1/2 Hard | CQA (Metals) |
| 599 | 9525000013 | WIRE BRASS HALF HARD 3.15 mm | IS:4413, Designation: CuZn37, 1/2 Hard | CQA (Metals) |
| 600 | 9525000014 | WIRE BRASS HALF HARD 2.00 mm | IS:4413, Designation: CuZn37, 1/2 Hard | CQA (Metals) |
| 601 | 9525000016 | WIRE BRASS HALF HARD 1.25 mm | IS:4413, Designation: CuZn37, 1/2 Hard | CQA (Metals) |
| 602 | 9525000018 | WIRE BRASS SOFT 3.15 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 603 | 9525000019 | WIRE BRASS SOFT 1.25 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 604 | 9525000020 | WIRE BRASS SOFT 1.00 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 605 | 9525000021 | WIRE BRASS HALF HARD 4.00 mm | IS:4413, Designation: CuZn37, 1/2 Hard | CQA (Metals) |
| 606 | 9525000026 | WIRE BRASS SOFT 5.00 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 607 | 9525000027 | WIRE BRASS SOFT 4.00 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 608 | 9525000028 | WIRE BRASS SOFT 2.50 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 609 | 9525000029 | WIRE BRASS SOFT 2.00 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 610 | 9525000030 | WIRE BRASS SOFT 1.60 mm | IS:4413, Designation: CuZn37 (Annealed) | CQA (Metals) |
| 611 | 9525000039 | WIRE PHOSPHOR BRONZE 1.00 mm | IS:7608, Grade-II in 'HE' Condition | CQA (Metals) |
| 612 | 9525000041 | WIRE COPPER HARD 2.50 mm | IS:4412 'HD' Temper | CQA (Metals) |
| 613 | 9525000059 | WIRE NICKEL SILVER 1.25 mm | BS:2873, Designation NS 107 | CQA (Metals) |
| 614 | 9525000066 | WIRE COPPER HARD 1.00 mm | IS:4412 'HD' Temper | CQA (Metals) |
| 615 | 9525000068 | WIRE COPPER SOFT FOR GENERAL PURPOSES 0.20 mm | IS:4412 'O' Temper | CQA (Metals) |
| 616 | 9525000069 | WIRE COPPER SOFT FOR GENERAL PURPOSES 0.63 mm | IS:4412 'O' Temper | CQA (Metals) |
| 617 | 9525000070 | WIRE COPPER SOFT FOR GENERAL PURPOSES 0.80 mm | IS:4412 'O' Temper | CQA (Metals) |
| 618 | 9525000071 | WIRE COPPER SOFT FOR GENERAL PURPOSES 1.00 mm | IS:4412 'O' Temper | CQA (Metals) |
| 619 | 9525000072 | WIRE COPPER SOFT FOR GENERAL PURPOSES 1.25 mm | IS:4412 'O' Temper | CQA (Metals) |
| 620 | 9525000073 | WIRE COPPER SOFT FOR GENERAL PURPOSES 1.60 mm | IS:4412 'O' Temper | CQA (Metals) |
| 621 | 9525000074 | WIRE COPPER SOFT FOR GENERAL PURPOSES 2.00 mm | IS:4412 'O' Temper | CQA (Metals) |
| 622 | 9525000075 | WIRE COPPER SOFT FOR GENERAL PURPOSES 2.50 mm | IS:4412 'O' Temper | CQA (Metals) |
| 623 | 9525000076 | WIRE COPPER SOFT FOR GENERAL PURPOSES 3.15 mm | IS:4412 'O' Temper | CQA (Metals) |
| 624 | 9525000183 | WIRE BRASS HALF HARD 7.01mm | IS:4413, CuZn37, 1/2 Hard | CQA (Metals) |
| 625 | 9525000184 | WIRE BRASS SOFT 0.914mm | IS:4413, CuZn37, Annealed | CQA (Metals) |
| 626 | 9525000185 | WIRE BRASS SOFT 3.251mm | IS:4413, CuZn37, Annealed | CQA (Metals) |
| 627 | 9525000186 | WIRE Phosphor Bronze Hard 1.83 mm | IS:7608, Grade-I, 'HD' Condition | CQA (Metals) |
| 628 | 9530000034 | LEADED BRASS ROD ROUND 6.30 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 629 | 9530000035 | LEADED BRASS ROD ROUND 8.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 630 | 9530000036 | LEADED BRASS ROD ROUND 10.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 631 | 9530000037 | LEADED BRASS ROD ROUND 12.50 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 632 | 9530000038 | LEADED BRASS ROD ROUND 16.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 633 | 9530000039 | LEADED BRASS ROD ROUND 20.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 634 | 9530000040 | LEADED BRASS ROD ROUND 25.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 635 | 9530000041 | LEADED BRASS ROD ROUND 31.50 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 636 | 9530000042 | LEADED BRASS ROD ROUND 40.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |

| SI No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|-------------------------------------------------------|-------------------------------------------|--------------|
| 637 | 9530000043 | LEADED BRASS ROD ROUND 50.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 638 | 9530000044 | LEADED BRASS ROD ROUND 63.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 639 | 9530000045 | LEADED BRASS ROD ROUND 80.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 640 | 9530000046 | LEADED BRASS ROD ROUND 100.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 641 | 9530000047 | LEADED BRASS ROD ROUND 112.0 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 642 | 9530000048 | LEADED BRASS ROD SQUARE 6.30 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 643 | 9530000049 | LEADED BRASS ROD SQUARE 8.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 644 | 9530000051 | LEADED BRASS ROD SQUARE 12.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 645 | 9530000052 | LEADED BRASS ROD SQUARE 16.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 646 | 9530000053 | LEADED BRASS ROD SQUARE 20.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 647 | 9530000054 | LEADED BRASS ROD SQUARE 25.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 648 | 9530000055 | LEADED BRASS ROD SQUARE 32.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 649 | 9530000056 | LEADED BRASS ROD SQUARE 40.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 650 | 9530000057 | LEADED BRASS ROD SQUARE 50.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 651 | 9530000058 | LEADED BRASS ROD SQUARE 60.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 652 | 9530000059 | LEADED BRASS ROD SQUARE 100.00 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 653 | 9530000079 | LEADED BRASS ROD RECTANGULAR 25 X 10 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 654 | 9530000080 | LEADED BRASS ROD RECTANGULAR 50 X 12.5 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 655 | 9530000081 | LEADED BRASS ROD ROUND 20.0mm | IS:6912, Designation: FLB - 'M' Condition | CQA (Metals) |
| 656 | 9530000082 | LEADED BRASS ROD ROUND 25.00 mm | IS:6912, Designation: FLB - 'M' Condition | CQA (Metals) |
| 657 | 9530000083 | LEADED BRASS ROD ROUND 31.5 mm | IS:6912, Designation: FLB - 'M' Condition | CQA (Metals) |
| 658 | 9530000084 | LEADED BRASS ROD ROUND 50.0 mm | IS:6912, Designation: FLB - 'M' Condition | CQA (Metals) |
| 659 | 9530000085 | LEADED BRASS ROD HEXAGON 6.30 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 660 | 9530000087 | LEADED BRASS ROD HEXAGON 10.00 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 661 | 9530000088 | LEADED BRASS ROD HEXAGON 12.50 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 662 | 9530000089 | LEADED BRASS ROD HEXAGON 16.00 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 663 | 9530000090 | LEADED BRASS ROD HEXAGON 20.00 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 664 | 9530000091 | LEADED BRASS ROD HEXAGON 25.00 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 665 | 9530000092 | LEADED BRASS ROD HEXAGON 31.50 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 666 | 9530000093 | LEADED BRASS ROD HEXAGON 40.00 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 667 | 9530000094 | LEADED BRASS ROD HEXAGON 50.00 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 668 | 9530000095 | LEADED BRASS ROD HEXAGON 63.00 mm (WIDTH ACROSS FLAT) | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 669 | 9530000113 | COPPER ROD ROUND 6.3 mm | IS:4171 As Manufactured | CQA (Metals) |
| 670 | 9530000114 | COPPER ROD ROUND 10.0 mm | IS:4171 As Manufactured | CQA (Metals) |
| 671 | 9530000116 | COPPER ROD ROUND 20.0 mm | IS:4171 As Manufactured | CQA (Metals) |
| 672 | 9530000117 | COPPER ROD ROUND 25.0 mm | IS:4171 As Manufactured | CQA (Metals) |
| 673 | 9530000118 | COPPER ROD ROUND 31.5 mm | IS:4171 As Manufactured | CQA (Metals) |
| 674 | 9530000119 | COPPER ROD ROUND 40.0 mm | IS:4171 As Manufactured | CQA (Metals) |
| 675 | 9530000123 | ALUMINIUM BAR ROUND 6.3 mm | IS:733-19000, 'M' Condition | CQA (Metals) |
| 676 | 9530000124 | ALUMINIUM BAR ROUND 10.0 mm | IS:733-19000, 'M' Condition | CQA (Metals) |
| 677 | 9530000125 | ALUMINIUM BAR ROUND 12.5 mm | IS:733-19000, 'M' Condition | CQA (Metals) |
| 678 | 9530000126 | ALUMINIUM BAR ROUND 16.0 mm | IS:733-19000, 'M' Condition | CQA (Metals) |
| 679 | 9530000127 | ALUMINIUM BAR ROUND 20.0 mm | IS:733-19000, 'M' Condition | CQA (Metals) |
| 680 | 9530000128 | ALUMINIUM BAR ROUND 40.0 mm | IS:733-19000, 'M' Condition | CQA (Metals) |
| 681 | 9530000197 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 6.3 mm | IS:7811-1985 | CQA (Metals) |
| 682 | 9530000198 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 8.00 mm | IS:7811-1985 | CQA (Metals) |
| 683 | 9530000199 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 10.00 mm | IS:7811-1985 | CQA (Metals) |
| 684 | 9530000200 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 12.5 mm | IS:7811-1985 | CQA (Metals) |
| 685 | 9530000201 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 16.0 mm | IS:7811-1985 | CQA (Metals) |
| 686 | 9530000202 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 20.0 mm | IS:7811-1985 | CQA (Metals) |
| 687 | 9530000203 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 25.0 mm | IS:7811-1985 | CQA (Metals) |
| 688 | 9530000204 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 31.5 mm | IS:7811-1985 | CQA (Metals) |
| 689 | 9530000205 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 40.0 mm | IS:7811-1985 | CQA (Metals) |

| Sl No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|--------------------------------------------------------------------------------|------------------------------------------|--------------|
| 690 | 9530000206 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 45 mm | IS:7811-1985 | CQA (Metals) |
| 691 | 9530000207 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 63.0 mm | IS:7811-1985 | CQA (Metals) |
| 692 | 9530000208 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 80.0 mm | IS:7811-1985 | CQA (Metals) |
| 693 | 9530000209 | PHOSPHOR BRONZE ROD ROUND (COLD ROLLED) 100.0 mm | IS:7811-1985 | CQA (Metals) |
| 694 | 9530000212 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-25mm X ID-12.5mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 695 | 9530000214 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-31mm X ID-16mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 696 | 9530000215 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-40mm X ID-12.5mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 697 | 9530000216 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-40mm X ID-20mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 698 | 9530000217 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-40mm X ID-25mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 699 | 9530000218 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-50mm X ID-12.5mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 700 | 9530000219 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-50mm X ID-16mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 701 | 9530000220 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-50mm X ID-25mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 702 | 9530000221 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-63mm X ID-16mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 703 | 9530000223 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-63mm X ID-25mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 704 | 9530000224 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-63mm X ID-31.5mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 705 | 9530000226 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-80mm X ID-25mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 706 | 9530000227 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-80mm X ID-31.5mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 707 | 9530000228 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-80mm X ID-50mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 708 | 9530000229 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-100mm X ID-25mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 709 | 9530000233 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-125mm X ID-50mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 710 | 9530000234 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-125mm X ID-63mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 711 | 9530000235 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-125mm X ID-80mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 712 | 9530000238 | PHOSPHOR BRONZE ROD ROUND, CORED (Cast Bars, 60-65cm Long) OD-200mm X ID-50mm | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 713 | 9530000239 | PHOSPHOR BRONZE ROD ROUND, (Cast Bars, 60-65cm Long) 12.5mm Dia | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 714 | 9530000242 | PHOSPHOR BRONZE ROD ROUND, (Cast Bars, 60-65cm Long) 25.0 mm Dia | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 715 | 9530000244 | PHOSPHOR BRONZE ROD ROUND, (Cast Bars, 60-65cm Long) 40.0 mm Dia | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 716 | 9530000245 | PHOSPHOR BRONZE ROD ROUND, (Cast Bars, 60-65cm Long) 50.0 mm Dia | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 717 | 9530000247 | PHOSPHOR BRONZE ROD ROUND, (Cast Bars, 60-65cm Long) 80.0 mm Dia | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |
| 718 | 9530000249 | PHOSPHOR BRONZE ROD ROUND, (Cast Bars, 60-65cm Long) 125.0 mm Dia | IS:28 Grade 2 Chill Cast/Continuous Cast | CQA (Metals) |

| SI No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|---------------------------------------------|------------------------------------------------------------------|--------------|
| 719 | 9530000280 | HIGH TENSILE BRASS ROD ROUND 12.5 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 720 | 9530000281 | HIGH TENSILE BRASS ROD ROUND 20.0 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 721 | 9530000282 | HIGH TENSILE BRASS ROD ROUND 25.0 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 722 | 9530000283 | HIGH TENSILE BRASS ROD ROUND 31.5 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 723 | 9530000284 | HIGH TENSILE BRASS ROD ROUND 40.0 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 724 | 9530000285 | HIGH TENSILE BRASS ROD ROUND 50.0 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 725 | 9530000286 | HIGH TENSILE BRASS ROD ROUND 63.0 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 726 | 9530000287 | HIGH TENSILE BRASS ROD ROUND 80.0 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 727 | 9530000288 | HIGH TENSILE BRASS ROD ROUND 100.0 mm | IS:320 Grade HT-2 | CQA (Metals) |
| 728 | 9530000299 | GUNMETAL CAST BAR ROUND 12.5 mm | IS:306 Chill Cast | CQA (Metals) |
| 729 | 9530000300 | GUNMETAL CAST BAR ROUND 20.0 mm | IS:306 Chill Cast | CQA (Metals) |
| 730 | 9530000301 | GUNMETAL CAST BAR ROUND 25.0 mm | IS:306 Chill Cast | CQA (Metals) |
| 731 | 9530000302 | GUNMETAL CAST BAR ROUND 31.5 mm | IS:306 Chill Cast | CQA (Metals) |
| 732 | 9530000303 | GUNMETAL CAST BAR ROUND 40.0 mm | IS:306 Chill Cast | CQA (Metals) |
| 733 | 9530000304 | GUNMETAL CAST BAR ROUND 50.0 mm | IS:306 Chill Cast | CQA (Metals) |
| 734 | 9530000305 | GUNMETAL CAST BAR ROUND 80.0 mm | IS:306 Chill Cast | CQA (Metals) |
| 735 | 9530000498 | LEADED BRASS ROD RECTANGULAR 50.8 X 6.35 mm | IS:319, Grade-I, 1/2 Hard | CQA (Metals) |
| 736 | 9535000002 | ALUMINIUM SHEET HARD 0.71 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX8 | CQA (Metals) |
| 737 | 9535000003 | ALUMINIUM SHEET HARD 0.91 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX8 | CQA (Metals) |
| 738 | 9535000004 | ALUMINIUM SHEET HARD 1.22 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX8 | CQA (Metals) |
| 739 | 9535000005 | ALUMINIUM SHEET HARD 1.63 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX8 | CQA (Metals) |
| 740 | 9535000006 | ALUMINIUM SHEET HARD 2.03 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX8 | CQA (Metals) |
| 741 | 9535000007 | ALUMINIUM SHEET HARD 3.25 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX8 | CQA (Metals) |
| 742 | 9535000008 | ALUMINIUM SHEET HARD 4.06 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX8 | CQA (Metals) |
| 743 | 9535000010 | ALUMINIUM SHEET HALF HARD 0.71 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX2 or HX4 | CQA (Metals) |
| 744 | 9535000011 | ALUMINIUM SHEET HALF HARD 0.91 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX2 or HX4 | CQA (Metals) |
| 745 | 9535000012 | ALUMINIUM SHEET HALF HARD 1.22 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX2 or HX4 | CQA (Metals) |
| 746 | 9535000013 | ALUMINIUM SHEET HALF HARD 1.63 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX2 or HX4 | CQA (Metals) |
| 747 | 9535000014 | ALUMINIUM SHEET HALF HARD 2.03 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX2 or HX4 | CQA (Metals) |
| 748 | 9535000015 | ALUMINIUM SHEET HALF HARD 3.25 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX2 or HX4 | CQA (Metals) |
| 749 | 9535000016 | ALUMINIUM SHEET HALF HARD 4.06 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition HX2 or HX4 | CQA (Metals) |
| 750 | 9535000018 | ALUMINIUM SHEET SOFT 0.71 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition 'O' | CQA (Metals) |
| 751 | 9535000019 | ALUMINIUM SHEET SOFT 0.91 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition 'O' | CQA (Metals) |
| 752 | 9535000020 | ALUMINIUM SHEET SOFT 1.22 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition 'O' | CQA (Metals) |
| 753 | 9535000021 | ALUMINIUM SHEET SOFT 1.63 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition 'O' | CQA (Metals) |
| 754 | 9535000022 | ALUMINIUM SHEET SOFT 2.03 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition 'O' | CQA (Metals) |
| 755 | 9535000023 | ALUMINIUM SHEET SOFT 3.25 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition 'O' | CQA (Metals) |
| 756 | 9535000024 | ALUMINIUM SHEET SOFT 4.06 mm | IS:737-2008/Reaff-2013, Designation: 19000, Condition 'O' | CQA (Metals) |

| SI No. | DS CAT Part No. | Nomenclature | Specification | Remarks/AHSP |
|--------|-----------------|------------------------------------------------------------|--------------------------------------------------------------------|--------------|
| 757 | 9535000039 | COPPER FOIL 0.15X150mm WIDE | BS:2870, C-106, 1/2 Hard, Cold Rolled | CQA (Metals) |
| 758 | 9535000041 | COPPER STRIP 0.20X150mm WIDE | IS:14811-2000 Grade DHP in 'HB' Condition | CQA (Metals) |
| 759 | 9535000042 | COPPER STRIP 0.26X150mm WIDE | IS:14811-2000 Grade DHP in 'HB' Condition | CQA (Metals) |
| 760 | 9535000043 | COPPER STRIP 0.30X150mm WIDE | IS:14811-2000 Grade DHP in 'HB' Condition | CQA (Metals) |
| 761 | 9535000045 | COPPER STRIP 0.40X150mm WIDE | IS:14811-2000 Grade DHP in 'HB' Condition | CQA (Metals) |
| 762 | 9535000057 | ALUMINIUM SHEET 978X715X0.45mm | IS:737-2008/Reaff-2013, Designation-19000, Condition HX6 Degreased | CQA (Metals) |
| 763 | 9535000058 | BRASS SHEET 1250X630X0.45mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 764 | 9535000061 | BRASS SHEET 1250X630X1.25mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 765 | 9535000062 | BRASS SHEET 1250X630X5.00mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 766 | 9535000085 | BRASS SHEET 1200X630X0.80mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 767 | 9535000086 | BRASS SHEET 1200X630X1.00mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 768 | 9535000087 | BRASS SHEET 1200X630X1.60mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 769 | 9535000089 | BRASS SHEET 1200X630X3.15mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 770 | 9535000090 | BRASS SHEET 1200X630X4.00mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 771 | 9535000091 | BRASS SHEET 1200X630X6.30mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 772 | 9535000093 | BRASS SHEET 1200X630X10.00mm | IS:410, Designation: CuZn 37 in 'HB' Temper | CQA (Metals) |
| 773 | 9535000097 | BRASS FOIL 160X0.04mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 774 | 9535000098 | BRASS STRIP 160X0.20mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 775 | 9535000100 | BRASS STRIP 160X0.315mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 776 | 9535000101 | BRASS STRIP 160X0.40mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 777 | 9535000102 | BRASS STRIP 160X0.50mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 778 | 9535000103 | BRASS STRIP 160X0.63mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 779 | 9535000104 | BRASS FOIL COLD ROLLED 160X0.05mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 780 | 9535000105 | BRASS FOIL COLD ROLLED 160X0.08mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 781 | 9535000106 | BRASS FOIL COLD ROLLED 160X0.10mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 782 | 9535000107 | BRASS FOIL COLD ROLLED 160X0.16mm | IS:410, Designation: CuZn37 in 'HD' Temper | CQA (Metals) |
| 783 | 9535000162 | COPPER SHEET 1250X630X0.56mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 784 | 9535000163 | COPPER SHEET 1250X630X0.71mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 785 | 9535000165 | COPPER SHEET 1250X630X1.00mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 786 | 9535000166 | COPPER SHEET 1250X630X1.25mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 787 | 9535000167 | COPPER SHEET 1250X630X1.60mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 788 | 9535000168 | COPPER SHEET 1250X630X2.00mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 789 | 9535000169 | COPPER SHEET 1250X630X2.80mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 790 | 9535000170 | COPPER SHEET 1250X630X3.55mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 791 | 9535000171 | COPPER SHEET 1250X630X4.00mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 792 | 9535000172 | COPPER SHEET 1250X630X5.00mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 793 | 9535000173 | COPPER SHEET 1250X630X5.60mm | IS:14811-2000, Grade DHP in 'HB' Condition | CQA (Metals) |
| 794 | 9535000249 | ZINC SHEET PLAIN 2500X900X2.00mm | IS:2258, Grade 3 | CQA (Metals) |
| 795 | 9535000291 | LEAD SHEET 2000X2000X1.60mm | IS:405 Part-2 | CQA (Metals) |
| 796 | 9535000292 | LEAD SHEET 2000X2000X2.00mm | IS:405 Part-2 | CQA (Metals) |
| 797 | 9535000294 | LEAD SHEET 2000X2000X3.20mm | IS:405 Part-2 | CQA (Metals) |
| 798 | 9535000295 | LEAD SHEET 2000X2000X5.00mm | IS:405 Part-2 | CQA (Metals) |
| 799 | 9535000296 | LEAD SHEET 2000X2000X7.00mm | IS:405 Part-2 | CQA (Metals) |
| 800 | 9535000567 | PHOSPHORUS BRONZE SHEET HARD 1.219 mm Thick | IS:7814, Grade 1 or 2 Temper 'HD' | CQA (Metals) |
| 801 | 9535000568 | PHOSPHORUS BRONZE SHEET ANNEALED 304.8X304.8X0.375mm Thick | IS:7814, Grade 1 or 2 Temper 'O' | CQA (Metals) |
| 802 | 9535000570 | COPPER FOIL 0.038X152.4mm wide | BS:2870, C-106, 1/2 Hard, Cold Rolled | CQA (Metals) |
| 803 | 9535000571 | LEAD STRIP 3.18X12.70mm wide | IS:405 Part-2 | CQA (Metals) |
| 804 | 9535000575 | COPPER STRIP 9.449X38.10mm wide | IS:14811-2000, Grade DHP in 'HB' condition | CQA (Metals) |
| 805 | 9535000589 | TIN FOIL | JSS:1351 | CQA (Metals) |
| 806 | 9640000005 | IRON PIG STEEL MAKING | IS:13502, Designation: PG Si2Mn3P40 | CQA (Metals) |
| 807 | 9640000006 | IRON PIG FOUNDRY PURPOSE | IS:13502, Designation: PGSi5Mn3P40 | CQA (Metals) |
| 808 | 9650000011 | ANTIMONY INGOT | IS:211, Grade 99.5 | CQA (Metals) |
| 809 | 9650000012 | BRASS HIGH TENSILE INGOT | IS:304, Grade HTB-I | CQA (Metals) |
| 810 | 9650000014 | PHOSPHOR BRONZE INGOT | IS:28, Grade - 3 | CQA (Metals) |
| 811 | 9650000015 | COPPER INGOT | IS:191(Pt-VII), Grade FRTP-I | CQA (Metals) |
| 812 | 9650000016 | GUNMETAL INGOT 88/10/2 | IS:306 | CQA (Metals) |
| 813 | 9650000018 | LEAD INGOT | IS:27, Grade- 99.94 | CQA (Metals) |
| 814 | 9650000019 | TIN INGOT | IS:26, Grade - 99.75 | CQA (Metals) |
| 815 | 9650000021 | WHITE METAL INGOT Group 1 | BS:3332/2, Alloy | CQA (Metals) |
| 816 | 9650000025 | ZINC INGOT | IS:4699, Grade - Zn 98.5 | CQA (Metals) |