

Sr No.	Items Nomenclature	Cat Part No./ Defence Part No.	Governing Spec Details	QAP No.	Main Eqpt	Remark
	<u>COS – F6</u>					
1	Cylinder compressed Gas Oxygen 6cum(Water capacity 40.2L) fitted with valve and cap	F6/8120-000099	IS : 7285 & IS:3224	--	--	
2	Cylinder Compressed Air 140 mm dia	F6/8120-000342	IS : 7285 & IS:3224	--	--	
3	Cylinder Gas Acetylene Dissolved empty 2.83 cum	F6/8120-000001	IS :7312 & IS : 3224	--	--	
4	Cylinder Gas Acetylene Dissolved Empty 5.66m ³	F6/8120-000002	IS :7312 & IS : 3224	--	--	
5	Cylinder Gas Carbon Dioxide Empty 27.216Kg, Water Capacity 40.77 Kg.	F6/8120-000010	IS : 7285 & IS:3224	--	--	
6	Cylinder Gas, Argon 2832 L(2.83cum) Water Capacity 20.95 Ltr.	F6/8120-000015	IS : 7285 & IS:3224	--	--	
7	Cylinder Gas Dichloro Di Fluoromethane Empty 11.34 kg (Water Capacity 10.49L)	F6/8120-000033	IS: 3196 & IS:3224	--	--	
8	Cylinder Gas Dichloro Di Fluoromethane Empty 65.77 kg (Water capacity 60.84 L)	F6/8120-000034	IS:3196 & IS:3224	--	--	
9	Cylinder Gas Hydrogen Empty 2.83 cum Water Capacity 21.52 Kg	F6/8120-000003	IS : 7285 & IS:3224	--	--	
10	Cylinder Gas Hydrogen Empty 5.68 cum Water Capacity 43.04Kg	F6/8120-000004	IS : 7285 & IS:3224	--	--	
11	Cylinder Gas Nitrogen Empty 5.66 cum, Water Capacity 41. 909 Kg.	F6-8120-000046	IS : 7285& IS:3224	--	--	
12	Cylinder Gas Oxygen Empty 2.83 cum Water Capacity – 20.95 Kg	F6/8120-000005	IS : 7285 & IS:3224	--	--	
13	Cylinder Gas Nitrogen Empty 6 cum (Water capacity 40.2 L) fitted with valve and protection cap	F6/8120-000348	IS : 7285 & IS:3224	--	--	

Sr No.	Items Nomenclature	Cat Part No./ Defence Part No.	Governing Spec Details	QAP No.	Main Eqpt	Remark
	<u>COS – K5</u>					
1	Fog generator Machine Insecticidal	K5/3740-000108	IND/ENG/PROV/1134/a	--	ME itself	
2	Fog Generator Insecticidal	K5/3740-000290	JSS 3740-03:2016	--	ME itself	
3	Scale Beam Indicating 300 kg folding 2A	K5/6670-000170	IND/ENG/Prov/0063	--	ME itself	
4	Scale Beam Indicating Platform Type-500 kg , 4A (Howrah Trading)	K5/6670-000171	IND/ENG/0046/D	--	ME itself	
5	Scale Person Weighing 130 kg, 1A	K5/6670-000042	IND/ENG/0066 & Drg IMGA-0038	--	ME itself	
6	Scale Person Weighing 130 kg, 2A	K5/6670-000162	IND/ENG/0080	--	ME itself	
7	Scale beam indicating platform Type-500 kg, 1A (Bharati Saloi)	K5/IKE-0503	IND/ENG/0046/D	--	ME itself	
8	Scale beam indicating platform Type-500 kg, 2A (Eastem Weighing)	K5/IKE-0504	IND/ENG/0046/D	--	ME itself	
9	Scale beam indicating platform Type-500 kg, 3A(Roys)	K5/IKE-0505	IND/ENG/0046/D	--	ME itself	
10	Scales Weighing Folding 300 kg 1A	K5/IKE-0506	IND/ENG/0063/A	--	ME itself	
11	Scale Dial Indicating Plating Type 300 kg. 1A (JIKINA)	K5/6670-000226	IND/ENG/PROV/0852(a)	--	ME itself	
12	Scale Dial Indicating Platform Type 300 kg, 1A (Premier Engg)	K5/6670-000231	IND/ENG/PROV/0852(a)	--	ME itself	
13	Scale Dial Indicating Platform Type 500 kg, 1A (JIKINA)	K5/6670-000225	IND/ENG/PROV/0852(a)	--	ME itself	
14	Scale Dial Indicating Platform Type 500 kg, 1A, (Premier) model No. 5373/PDL	K5/6670-000232	IND/ENG/PROV/0852(a)	--	ME itself	
15	Sprayer Insecticide Manually carried 16 LTS “NISA”	K5/3740-000086	CQAE/3740/1383	--	ME itself	

Sr No.	Items Nomenclature	Cat Part No./ Defence Part No.	Governing Spec Details	QAP No.	Main Eqpt	Remark
16	Sprayer Insecticide Manually carried compression hand operated knapsack non pressure retaining type 12 Ltr capacity	K5/3740-000085	JSS 3740-02:2014	--	ME itself	
17	Sprayer Insecticide Manual carried Hand Operated continuous Knapsack 16 Ltr	K5/3740-000082	CQAE/3740/1383	--	ME itself	
18	Scale Dial Indicating Pan Type 20 kg, 1A MODEL No. PSI/775 Promise	K5/6670-000233	IND/ENG/PROV/1108(a)	--	ME itself	
	<u>COS – W11</u>					
1	Sewing Machine Industrial General Sewing Heavy Textile & Lather 10 inch throat flat bed (132 K6 with table stand 240V AC)	W11/WX-0539	CQAE 3530/1660	--	ME itself	
2	Sewing Machine House Hold Hand operated Trailer Model with Cover and accessories	W11/W11-7290	IND/CQAE /PROV/1305	--	ME itself	
3	Sewing Machine Industrial General Treadle Driven	W11/3530-NNA	JSS 3530-02:2013	--	ME itself	
4	Sewing Machine House Hold Hand Operated Tailor Model “RITA”	W11/7290-000003	IND/CQAE/PROV/1305	--	ME itself	
5	Sewing Machine House Hold Hand Operated Tailor Model “MERRITT”.	W11/7290-000004	IND/CQAE/PROV/1305	--	ME itself	
6	Sewing Machine Industrial General Treadle Driven Complete with Table and Stand	W11/3530-000044	CQAE(EE)/3530/1402(a)	--	ME itself	
7	Sewing Machine Industrial Heavy Motor Driven Complete with Table and Stand SEIKO MODEL SK-6 F	W11/3530-000045	CQAE/3530/1411	--	ME itself	
8	Sewing Machine Industrial General Heavy Motor Driven SEIKO MODEL SK-S	W11/3530-000046	CQAE/3530/1411	--	ME itself	

Sr No.	Items Nomenclature	Cat Part No./ Defence Part No.	Governing Spec Details	QAP No.	Main Eqpt	Remark
	<u>COES – 62</u>					
1	Temper Vibrating Type Gosoline Engine Driven Maximix VRI-MK-II	62/I-62-0017	IND/ENG PROV/0325	--	ME itself	
2	Temper Vibrating Type Gasoline Engine, Driven maximix, VR 2, MK-II	62/I-62-0018	IND/ENG PROV/0413	--	ME itself	
3	Crusher Jaw	62/3820-000002	IND/ENG PROV/00120	--	--	
	<u>W 8</u>					
1	Cutter Folding, 300 mm	W8/5110-000400	CQAE/5110/1337/B Drg No: IM-0640	--	ME itself	
2	Fabric Revetment Flexible, 1B	W8/5410-000023	CQAE/5410/1597	--		
3	Sheet, Steel, Corrugated Galvanized sizes 1800, 2200, 2500, 2800 & 3050 mm	W8/NIV	IS:277(Latest)	--	--	
4	PTC Coil	W8/5660-000078	CQAE/5660/1602, Drg No : IMGA-0112	--	--	
5	Barbed Wire	W8/NIV	IS:278(Latest)	--	--	
6	Marker Identification Mine Field Perimeter	W8/7690- 000005/8	IND/ENG/PROV/1208, Drg No : IM-0613	--	--	
	<u>W 3</u>					
1	Spray Gun Paint Gravity and Syphon Feed, 14 m ³ /h at 4.3 Bar	W3/4940-000502	JSS:4940-03:2012 (Rev 1)	--	ME itself	--
2	Lathe Engine, 400 mm Swing Over Bed, 2250 mm Distances between centres	W3/3416-000039	JSS: 3416-01	--	ME itself	--
3	Lathe Engine, 610 mm Swing Over Bed, 2000 mm distances between Centers	W3/3416-000048	JSS: 3416-02	--	ME itself	--

Sr No.	Items Nomenclature	Cat Part No./ Defence Part No.	Governing Spec Details	QAP No.	Main Eqpt	Remark
4	Lathe Engine, 610 mm Swing Over Bed,1200 mm distances between centres	W3/3416-000029	JSS: 3416-03	--	ME itself	--
5	Lathe Engine,180 mm Swing Over Bed, 483 mm distances between centres	W3/3416-000027	JSS: 3416-04	--	ME itself	--
6	Lathe Engine, 400 mm Swing Over Bed, 2250 mm distances between centres	W3/3416-000054	JSS: 3416-05	--	ME itself	--
7	Lathe Engine, 400 mm Swing Over Bed,1000 mm distances between centres	W3/3416-000025	JSS: 3416-06	--	ME itself	--
8	Saw Band Wood Working 760 mm, 415 V	W3/3220-000023	JSS: 3212-01	--	--	--
9	Saw Circular Table Type 900 mm	W3/3220-000005	JSS: 3220-02	--	--	--
10	Milling Machine Horizontal, 800x265x400 mm	W3/3417-000009	JSS: 3417-01	--	ME itself	--
11	Milling Machine Horizontal, 650x145x365 mm	W3/3417-000013	JSS: 3417-02	--	ME itself	--
12	Milling Machine Horizontal, 650x235x425 mm	W3/3417-000011	JSS: 3417-03	--	ME itself	--
13	Shaper Metal Cutting Vertical 250 mm , 400 mm Stroke	W3/3405-000002	JSS: 3418-01	--	ME itself	--
14	Shaper Metal Cutting Vertical 250 mm , 400 mm Stroke	W3/3405-000006	JSS: 3418-02	--	ME itself	--
15	Saw Power Hack Heavy Duty, 150x150 mm	W3/3405-000002	JSS: 3405-01	--	ME itself	--
16	Saw Power Hack Heavy Duty	W3/3405-000003	JSS: 3405-01	--	ME itself	--
17	Saw Power Hack Heavy Duty	W3/3405-000004	JSS: 3405-01	--	ME itself	--

Sr No.	Items Nomenclature	Cat Part No./ Defence Part No.	Governing Spec Details	QAP No.	Main Eqpt	Remark
18	Saw Power Hack Heavy Duty	W3/3405-000005	JSS: 3405-01	--	ME itself	--
19	Furnace Heat Treatment Oil Burning 1000°C	W3/3424-000020	JSS:3434-02	--	ME itself	--
20	Forge Coal Burning 650x500x150 mm	W3/3424-000002	JSS:3434-01	--	ME itself	--
21	Press Arbor 3 Ton Capacity hand operated	W3/3444-000021	CQAE/3444/1344/b	--	ME itself	--
22	Plant Washer Motor Vehicle 2v Gun, Trolley Mtd 15 L/GI/Min	W3/4910-000209	JSS:4910-01	--	ME itself	--
23	Trolley gas Cylinder	W3/3439-000384	IND/CQAE/Prov/1274	--	--	--