

COMPENDIUM OF FIRMS REGISTERED WITH
DIRECTORATE OF QUALITY ASSURANCE : ELECTRONICS

| S No. | Name | Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|-------|---|---|---|-----------------------|---------|--|------------------|
| 1 | MR BATTERY & CHEMICALS PVT LTD | SHED NO. 14, IDA CHERLAPALLY, HYDERABAD - 500051 | L1805476A CQAL/0047 | 10-Mar-18 / 09-Mar-21 | | BTY ALKALINE NON RECHARGEABLE 1.5V D SIZE 18000MAH ENERGIZER TYPE NO. EN95 BTY LITHIUM 3.5V 1"X0.65"X0.25" NON RECHRGABLE BTY SECONDARY PORTABLE NI-MH1450MAH CELL NI-CD RECHARGEABLE 1.2V 700MAH AA SIZE B.D. 3V NO. 1 B.D. 4.5V NO. 2 B.D. 1.5V NO. 6 | II / SS-P |
| | | 2138672499 FAX : | | | | | |
| 2 | SBEE CABLES(INDIA) LTD | NO. 29 JCW INDUSTRIAL ESTATE KANAKPURA ROAD BANGALORE-5600262 | L1705374A CQAL/0039 | 03-Oct-17 / 01-Oct-20 | | PVC INSULATED CABLES FOR WORKING VOLTAGE UPTO AND INCLUDING 1100 V PVC INSULATED CABLES (HEAVY DUTY)FOR WORKING VOLTAGE UPTO AND INCLUDING 1100 V | II / LS-DDP |
| | | FAX : | | | | | |
| 3 | UM CABLES LTD | SURVEY NO. 1/1/3 CHINCHPADA SILVASA UT OF D & NH | L1705373A CQAL/0039 | 03-Oct-17 / 01-Oct-20 | | ARMoured AND UNARMoured JELLY FILLED TELEPHONE CABLES 10 PAIRS ARMoured AND UNARMoured JELLY FILLED TELEPHONE CABLES 20 PAIRS | II / SS-P |
| | | 0260-6619260 FAX : | | | | | |
| 4 | ACOUSTICS (INDIA) PVT LTD | NO 9/1, KUMARAMANGALAM INDUSTRIAL ESTATE, MATHUR, PUDUKKOTTAI DIS - 622515(TN) | L1805522A SS:DDP: GRADE-I | 10-Dec-18 / 09-Dec-18 | | 1. GEN SET DIESEL ENGINE, AC 2.5 KVA SINGLE PHASE, 50HZ, 0.8PF, 230V 2. GEN SET DIESEL ENGINE, AC 4KVA SINGLE PHASE, 50HZ, 0.8PF, 230V 3. GEN SET DIESEL ENGINE, AC 5 KVA SINGLE PHASE, 50HZ, 0.8PF, 230V 4. GEN SET DIESEL ENGINE, AC 7.5 KVA SINGLE PH | I / SS-DDP |
| | | 4339-2456148 FAX : 4339-2456148 | | | | | |

| S No. | Name | Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|-------|--|---|-----------------------------------|-----------------------|---------|---|------------------|
| 5 | ALPHA DESIGN TECHNOLOGIES PVT LTD | PLOT NO A 193, 4TH CROSS, 1ST STAGE PEENYA INDUSTRIAL AREA BANGALORE - 560058 918041440705 FAX: 918041440705 | L1805504A CQAL/0055/ | 26-Jul-18 / 25-Jul-21 | | UNIT LEVEL SWITCH BOARD (ULSB) MARK-III (Y1/MISC-1000035701) | I / SS-DDP |
| 6 | DEEPAA INDUSTRIES | PLOT NO. 106, 3RD MAIN, 4TH PHASE BOMMASANDRA IND AREA, HOSUR ROAD ANEKAL TALUK, BANGALORE 560099 08027839179 FAX: | L1805446A CQAL/045 | 09-Feb-18 / 08-Feb-21 | | BSLA 6V 150AH @20HRS BSLA 6V 150AH 2A@20HRS BSLA 12V 2.5AH@10HRS BSLA 12V 5AH @10HRS BSLA 12V 32AH @20HRS BSLA 12V 35AH @20HRS BSLA 12V 45AH @20HRS BSLA 12V 55AH @10HRS BSLA 12V 60AH @20HRS BSLA 12V 60AH @05HRS BSLA 12V 70AH @20HRS BSLA 12V 88A | II / SS-P |
| 7 | EXIDE INDUSTRIES LTD | SURVEY NO 246, CHICHURAKANAPALLI, SEVAGANAPALL, HOSUR TALUK, KRISHNAGIRI DISTRICT, TAMIL NADU 635103 04344-258255 FAX: 04344-258255 | L1801543H LS:P: GRADE-I | 14-Aug-18 / 13-Aug-21 | | BSLA 12V, 32 AH, @ 20 HRS BSLA 12V, 35 AH, @ 20 HRS BSLA 12V, 60 AH, @ 20 HRS BSLA 12V, 70 AH, @ 20 HRS BSLA 12V, 92 AH, @ 20 HRS BSLA 12V, 130 AH, @ 20 HRS BSLA 12V, 150 AH, @ 20 HRS BSLA 12V, 200 AH, @ 20 HRS BSLA 12V, 88 AH, @ 20 HRS BSLA 12V, | I / LS-P |

| S No. | Name | Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|----------------------------------|-------------------------------------|--|--------------------------------|-----------------------|---------|--|------------------|
| 8 | JAY ACE TECHNOLOGIES LTD | KHASRA NO. 92-95 , RAIPUR INDUSTRIAL AREA , BHAGWANPUR , ROORKEE - 247667 | L1705354A CQAL/0038 | 01-Apr-17 / 01-Apr-20 | | BATTERY SECONDARY LEAD ACID 12 V 32AH, 35 AH , 70 AH ,88 AH, 92AH, 130AH, 135AH, 150AH, 180AH, 200 AH @ 20 AH AND 12 V 60 AH @ 5HRS | I / LS-DP |
| FAX : | | | | | | | |
| 9 | M/S AMARA RAJA BATTERIES LTD | NUNEGUNDLAPALLI BANGARUPALYAMMANDAL, CHITTOOR-517416 (ANDHRA PRADESH) | L1805498A CQAL/0053/ | 01-Jul-18 / 31-Jul-21 | | 1. BSLA 12V 2.5AH @ C10 2. BSLA 12V 5AH @ C10 3. BSLA 12V 32AH @ C20 4. BSLA 12V 35AH @ C20 5. BSLA 12V 55AH @ C20 6. BSLA 12V 60AH @ C20 7. BSLA 12V 60AH @ C5 8. BSLA 12V 70AH @ C20 9. BSLA 12V 88AH @ C5 10. BSLA 12V 92AH @ C20 11. BSLA 12V 120AH | I / LS-DDP |
| 04023139000 FAX : 04023139000 | | | | | | | |
| 10 | M/S AMARA RAJA BATTERIES LTD | RENIGUNTA - CUDDAPAH ROAD, KARAKAMBADI - 517520, TIRUPATI (ANDHRA PRADESH) | L1805497A CQAL/0054 | 01-Jul-18 / 31-Jul-21 | | 1. BSLA 12 V 2.5AH @ C10 2. BSLA 12 V 5AH @ C10 3. BSLA 12 V 32AH @ C20 4. BSLA 12 V 35AH @ C20 5. BSLA 12 V 55AH @ C20 6. BSLA 12 V 60AH @ C20 7. BSLA 12 V 60AH @ C5 8. BSLA 12 V 70AH @ C20 9. BSLA 12 V 88AH @ C5 10. BSLA 12 V 92AH @ C20 11. BSLA 12 | I / LS-DDP |
| 08772285600 FAX : 08772285600 | | | | | | | |

| S No. | Name Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|-------|---|-------------------------------|-----------------------|---------|--|------------------|
| 11 | M/S GREAVES COTTON LTD LIGHT ENGINE UNIT - I , J-2, MIDC INDUSTRIAL AREA , CHIKALTHANA, AURANGABAD - 431210 0240-2479200 FAX: 0240-2479200 | L1705485A CQAL/0049 | 10-Nov-17 / 09-Nov-20 | | CHARGING SET 1KW (COMM) | I / LS-DDP |
| 12 | M/S HIGH ENERGY BATTERIES (I) LTD, SF NO. 22-24, RASIPURAM ROAD, MATHUR - 622515 , PUDUKOTTAI DIST (TN) 0431-2905554 FAX: 0431-2905554 | L1705486A CQAL/0050 | 10-Nov-17 / 09-Nov-20 | | BATTERY SECONDARY PORTABLE 12V , 75 AH @ 10 HRS RATE WITHOUT MS BOX (Z9/6140-MISC-CQAL-4484) | I / LS-DP |
| 13 | M/S PREMIER EXPLOSIVE LIMITED PO PEDDAKANDUKUR, YADADRI BHONGIR DISTRIC (TS), PIN-508286 278433431 FAX: 66146839,27843343 | L1805495A CQAL/0051 | 17-May-18 / 16-May-21 | | AIR TARGET IMITATOR(ATI) Z16/MISC/ATI/3P-10B | I / LS-DDP |
| 14 | MARATHON INDIA LTD UMIAM INDUSTRIAL AREA, PO UMIAM , RI- BHOI DISTRICT, MEGHALAYA FAX: 0141 4107390 | L1705375A CQAL/0042 | 03-Oct-17 / 01-Oct-20 | | NICKEL CADMIUM BTY -6 TYPES LITHIUM THIONYL CHLORIDE -1 TYPES LITHIUM SULPHUR DIOXIDE -3 TYPES | II / SS-P |
| 15 | PANASONIC ENERGY INDIA CO. LTD GIDC MAKARPURA , PB NO 719, VADODARA 390 010 FAX : | L1605177A CQAL/0035 | 01-Mar-16 / 01-Mar-19 | | BATTERY DRY 1.5 V METAL CLAD NO.3 & 6 | I / LS-DP |

| S No. | Name Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|-------|--|-------------------------------|-----------------------|---------|--|------------------|
| 16 | PANASONIC ENERGY INDIA CO. LTD PLOT NO. 112 , INDUSTRIAL AREA , SECTOR III PITHAMPUR DISTRICT DHAR (MP) 454775 | L1705439A CQAL-0043 | 22-Dec-17 / 21-Dec-20 | | BATTERY DRY 1.5 VOLT NO.1 (METAL CLAD) (Y-3/ 6135-000004) | I / LS-DP |
| | FAX : | | | | | |
| 17 | SHIVA INDUSTRIES. B-18 GT KARNAL ROAD INDUSTRIAL AREA 110033 | L1805445A CQAL/044 | 07-Feb-18 / 06-Feb-21 | | ELECTRCAL PURPOSE (GENERAL PURPOSE) | II / SS-P |
| | FAX : 011-27434375 | | | | | |
| 18 | SIMCO ENGINEERING LTD 126 K .SATHANOR ROAD | L1805443A CQAL/0044 | 01-Jan-18 / 31-Dec-21 | | SPARES FOR TANK ELECTRONICS | I / MS-DDP |
| | FAX : | | | | | |
| 19 | SIMCO ENGINEERING LTD 126 K .SATHANOR ROAD | L1605334A CQAL/0036 | 30-Sep-16 / 29-Sep-19 | | SPARES FOR TANK ELECTRONIC | I / SS-DDP |
| | FAX : | | | | | |
| 20 | SRAVINS INSTRUMENTS & SYSTEMS PLOT NO.21 ,ROAD NO. 12 APIIC ,IALA TECH PARK ,IDA NACHARAM HYDERABAD- 500 060 | L1601158A CQAL/0037 | 01-Oct-16 / 31-Oct-19 | | WIRING HARNESS BRANCHED ALG CABLENO.3 CONTROL UNIT TUP-45 LIMIT SWITCH (PUSH TYPE) CHANGE OVER UNIT BSP-1M CONTROL INDICATOR BOX KUV -11-16-15 RELAY BOX KP55-3S.O.S,KP60-2S.O.S, KP 40-1C ELECTROMAGNET EMTII COVER WIRING HARNESS BRANCHED CABLE NO. | I / SS-DP |
| | FAX : 040-4066186 | | | | | |

| S No. | Name | Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|-------|--|---|-------------------------------|-----------------------|---------|---|------------------|
| 21 | SURE SAFETY SOLUTIONS PVT LTD. | TATA SEZ, GOPALPUR, BADAPUR RANGELLUNDA, GANJAM, ODISHA - 760007 | L190523A CQAL/0058 | 03-Jan-19 / 02-Jan-22 | | 1. LAUNCHER CHASSIS 2. CENTRE SECTION 3. TRIGGER END 4. OVER RUN END 5. DUMMY MASS, SABOT 6. HING PIN 7. LAUNCH PIN 8. WHEEL CHOCKS 9. PROPELLER GUARD ASSY 10. GROUND CONTROL TRAILER 11. GROUND SUPPORT TROLLEY 12. GPS BRACKET 13. FLARE BRACKET | II / SS-DP |
| | | 91(22)23514355 FAX : 91(22)23514355 | | | | | |
| 22 | SYSTEM CABLES & WIRES PVT LTD | A-352 8TH MAIN , PEENYAILI STAGE , BANGALORE - 560058 | L1705372A CQAL/0039 | 03-Oct-17 / 01-Oct-20 | | FLEXIBLE POWER CORD MULTICORE CABLE AND SINGLE CORE CABLE PVC INSULATED AND UNSHEATHED SINGLE CORE WITH FLEXIBLE COPPER CONDUCTOR & PVC SHEATHED MILTICORE CABLE WITH FLEXIBLE COOPER CONDUCTOR | II / SS-P |
| | | FAX : | | | | | |
| 23 | TRADING ENGINEERS (I) LTD | VILLAGE LAKESHWARI, VIA SIKANDERPUR, BHAI SWAL, BHAGWANPUR, ROORKEE | L1805477A CQAL/0048 | 04-Apr-18 / 03-Apr-21 | | GENRATING SET, DIESEL ENGINE, AC 2.5 KVA , 230 V, 50 HZ, SINGLE PHASE 0.8PF (LAG), (COTS), GENRATING SET, DIESEL ENGINE, AC 4.5 KVA , 230 V, 50 HZ, SINGLE PHASE 0.8PF (LAG), (COTS), GENRATING SET, DIESEL ENGINE, AC 5 KVA , 230 V, 50 HZ, SINGLE PHASE 0.8 | II / SS-DP |
| | | 1244326500 FAX : 1244326500 | | | | | |

| S No. | Name | Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|-------|---|--|-----------------------------------|-------------------------|---------|---|------------------|
| 24 | TTATA AUTO COMP GY BATTERIES PVT LTD | PLOT NO. C2 MIDC RANJANGAON, TAL SHIRUR DIST. PUNE 412220 | L1805447A CQAL/046 | 09-Feb-18 / 08-Feb-21 | | BSLA 12V 32AH @C20 BSLA 12V 35AH @C20 BSLA 12V 60AH @C20 BSLA 12V 60AH @C05(IN70Z) BSLA 12V 70AH @C20 BSLA 12V 88AH @C05 BSLA 12V 92AH @C20 BSLA 12V 130AH @C20 BSLA 12V 135AH @C20 BSLA 12V 150AH @C20 BSLA 12V 180AH @C20 BSLA 12V 200AH @C20 BSL | I / LS-DDP |
| | | | | | | 912138672499 FAX : | |
| 25 | AMPHENOL INTERCONNECT INDIA (P) LTD | PLOT NO 105, BHOSARI INDUSTRIAL AREA PB NO .1, PUNE - 4110026 | L1905379A CQAL/0060 | 24/07/2019 / 23/07/2022 | | 01. CONNECTOR ELEC. PRINTED WIRING BOARD. 02. CONNECTOR RACK AND PANEL (OTHER THAN POLARIZED SHELL) 03. CONNECTOR ELEC. CIRCULAR THREADED COUPLING ALONG WITH ACCESSORIES FOR CIRCULAR CONNECTOR. 04. CONNECTOR ELEC. CIRCULAR MINIATURE BAYONET COUPLING SO | I / LS-DP |
| | | | | | | 912067360321 FAX : 912067360321 | |
| 26 | SHAKTHIVEL ASSOCIATES | NO.17, WEST OF CHORD ROAD, 4TH STAGE, INDUSTRIAL TOWN, 4TH MAIN, BANGALORE-560044 | L1901240A CQAL/0059 | 18/06/2019 / 17/06/2022 | | 1. HEADSET WITH THROAT MICROPHONE 2. HEADSET EARPHONE 3. THROAT MICROPHONE ASSY 4. HANDSET 17A WITH CARBON MICROPHONE | I / LS-DDP |
| | | | | | | 23388866 FAX : 23388866 | |
| 27. | SIMCO ENGINEERING LTD | 126 K .SATHANOUR ROAD | L1605334A CQAL/0036 | 30/09/2016 / 29/09/2019 | | SPARES FOR TANK ELECTRONIC | I / SS-DDP |
| | | | | | | FAX : | |

| S No. | Name | Address of Firm | Control No./Regn N | Date Regn | Ass Due | Range of Product/Processess | Grading/Category |
|-------|--|--|-----------------------------------|-------------------------|---------|--|------------------|
| 28. | SRAVINS INSTRUMENTS & SYSTEMS | PLOT NO.21 ,ROAD NO. 12 APIIC ,IALA TECH PARK ,IDA NACHARAM HYDERABAD-500 060 | L1601158A CQAL/0037 | 01/10/2016 / 31/10/2019 | | WIRING HARNESS BRANCHED ALG CABLENO.3 CONTROL UNIT TUP-45 LIMIT SWITCH (PUSH TYPE) CHANGE OVER UNIT BSP-1M CONTROL INDICATOR BOX KUV -11-16-15 RELAY BOX KP55-3S.O.S,KP60-2S.O.S, KP 40-1C ELECTROMAGNET EMTII COVER WIRING HARNESS BRANCHED CABLE NO. | I / SS-DP |

FAX : 040-4066186

***** Report Complete*****